

**US ARMY CORPS OF ENGINEERS, SAVANNAH DISTRICT
PRE-CONSTRUCTION NOTIFICATION (PCN) FORM**

USE OF NATIONWIDE PERMIT NUMBER(s) _____

APPLICANT/OWNER _____ Date _____

Phone(hm/bus) _____ FAX _____ E-Mail _____

Address _____ City _____ State _____ Zip Code _____

AGENT/CONSULTANT _____

Phone(hm/bus) _____ FAX _____ E-Mail _____

Address _____ City _____ State _____ Zip Code _____

PROJECT LOCATION/ADDRESS _____

City _____ County _____ Subdivision _____ Lot _____

Latitude _____ Longitude _____ Hydrologic Map Cataloging Unit _____

Nearest Named Stream, River or Other Waterbody _____

PROJECT DESCRIPTION _____

PROJECT AREA AND IMPACT INFORMATION

	PROJECT AREA		IMPACTS TO US WATERS	
	ACRES	LINEAR FEET	ACRES	LINEAR FEET
TOTAL PROJECT AREA		N/A	N/A	N/A
UPLAND		N/A	N/A	N/A
WETLAND		N/A		N/A
OPEN WATER		N/A		N/A
PERENNIAL STREAM				
INTERMITTENT STREAM				
EPHEMERAL STREAM				
MAN-MADE DITCHES				

WETLAND/STREAM IMPACT AVOIDANCE/MINIMIZATION (RC B.3)

WATER QUALITY MANAGEMENT PLAN STATEMENT (RC B.6) _____

FLOODPLAIN MANAGEMENT STATEMENT (RC B.7) _____

MAPS, DRAWINGS AND OTHER SUPPLEMENTAL INFORMATION. For questions 1 thru 13, YES answers must include information with this PCN necessary to adequately comply with the referenced RC, or to explain/address the question. For questions 14 and 15, no information is required.

1. Is a Georgia Revocable License required for the project? (RC A.5 and B.11) Yes _____ No _____
(NOTE: If the project is located in State of Georgia regulated tidal waters (i.e., below 5.6' MTL): (1) a copy of the Georgia Revocable License Request must be attached to this PCN; and (2) a copy of the complete PCN must be submitted to the Georgia Department of Natural Resources, Coastal Resources Division.)
2. Is a Georgia Stream Buffer Variance required for the project? (RC B.12) Yes _____ No _____
3. Are federally protected species present on the project area? (RC B.4) Yes _____ No _____
4. Are cultural resources located on or near the project area? (RC B.5) Yes _____ No _____
5. Is compensatory mitigation required? (RC D) Yes _____ No _____
6. Is the project area located in a 303(D) listed stream? (RC B.8) Yes _____ No _____
7. Is the project area located in a trout stream? (RC B.9) Yes _____ No _____
8. Are culverts proposed in streams and/or wetlands? (RC B.13) Yes _____ No _____
9. Any in-stream/wetland storm water management? (RC B.13, C.1 and E.7) Yes _____ No _____
10. Will the project be phased (additional wetland/stream impacts in the future)? Yes _____ No _____
11. Have authorized wetland/stream impacts occurred in the project area? Yes _____ No _____
12. Have unauthorized wetland/stream impacts occurred in the project area? Yes _____ No _____
13. Is a request for waiver of the 300-foot stream impact limit included? Yes _____ No _____
14. Is the project area located within 5 miles of an airport? Yes _____ No _____
15. Is the project area in a USEPA Priority Watershed?
(www.epa.gov/region4/water/watersheds/priority.htm#FL) Yes _____ No _____

IMPORTANT NOTES:

1. Refer to Section "B" of the Savannah District 2007 Nationwide Permit Regional Conditions for a complete list of all information that must be submitted as an attachment to this PCN.
2. All maps and drawings that are attached to this PCN must be submitted on 8 ½ X 11-inch paper. Supplemental maps and drawings larger than 8 ½ X 11 may also be submitted for clarity.