



REPLY TO
ATTENTION OF

DEPARTMENT OF THE ARMY
U.S. ARMY CORPS OF ENGINEERS, SOUTH ATLANTIC DIVISION
60 FORSYTH STREET SW, ROOM 10M15
ATLANTA, GA 30303-8801

CESAD-PDP

24 January 2019

MEMORANDUM FOR Commander, Savannah District

Subject: Approval of Review Plan and IEPR Exclusion for the Lake Hartwell Water Supply Storage Reallocation Integrated Feasibility Report

1. References:

a. CESAS-DE, subject: Request for MSC Commander Approval of Review Plan (RP) and Independent External Peer Review (IEPR) Exclusion for Lake Hartwell Water Supply Storage Reallocation Integrated Feasibility Report, 12 September 2018.

b. CECW-P, subject: Revised Delegation of Authority in Section 2034(a)(5)(A) of the Water Resources Development Act of 2007 (WRDA 2007), as amended (33 U.S.C. 2343), 07 June 2018.

2. The attached Review Plan for the Lake Hartwell Water Supply Storage Reallocation Integrated Feasibility Report has been prepared consistent with EC 1165-2-217. The Review Plan has been coordinated with the Water Management and Reallocation Studies Planning Center of Expertise, which is the lead office to execute this plan. For further information, contact the WMRS-PCX at (501)324-5036. The Review Plan does not include independent external peer review.

3. I hereby approve this Review Plan and the request for exclusion from independent external peer review, which is subject to change as circumstances require, consistent with study development under the Project Management Business Process. Subsequent revisions to this Review Plan or its execution due to significant changes in the study, study scope or level of review will require new written approval from this office.

4. The point of contact for this action is Patrick O'Donnell, 404-562-5226.

DIANA M. HOLLAND
Brigadier General, USA
Commanding