

DRY LAND APPROVED JURISDICTIONAL DETERMINATION FORM¹
U.S. Army Corps of Engineers

This form should be completed by following the instructions provided in Section IV of the JD Form Instructional Guidebook.

SECTION I: BACKGROUND INFORMATION

A. REPORT COMPLETION DATE FOR APPROVED JURISDICTIONAL DETERMINATION (JD): March 22, 2022

B. DISTRICT OFFICE, FILE NAME, AND NUMBER: Savannah District, 2625 Mural Drive, SAS-2022-00151

C. PROJECT LOCATION AND BACKGROUND INFORMATION:

State: GA County/parish/borough: DeKalb City: Chamblee

Center coordinates of site (lat/long in degree decimal format): Lat. 33.87891 °, Long. -84.28145 °

Universal Transverse Mercator: X: 751443.860667 Y: 3752056.633323 Zone: 16

Name of nearest waterbody: unnamed tributary to North Fork Peachtree Creek

Name of watershed or Hydrologic Unit Code (HUC): 03130001

- Check if map/diagram of review area is available upon request.
- Check if other sites (e.g., offsite mitigation sites, disposal sites, etc...) are associated with this action and are recorded on a different JD form.

D. REVIEW PERFORMED FOR SITE EVALUATION (CHECK ALL THAT APPLY):

- Office (Desk) Determination. Date: March 16, 2022 (CESAS-RD-P)
- Field Determination. Date(s): [Click here to enter a date.](#)

SECTION II: SUMMARY OF FINDINGS

A. RHA SECTION 10 DETERMINATION OF JURISDICTION.

There are **no** “navigable waters of the U.S.” within Rivers and Harbors Act (RHA) jurisdiction (as defined by 33 CFR part 329) in the review area.

B. CWA SECTION 404 DETERMINATION OF JURISDICTION.

There are **no** “waters of the U.S.” within Clean Water Act (CWA) jurisdiction (as defined by 33 CFR part 328) in the review area.

SECTION III: DATA SOURCES.

A. SUPPORTING DATA. Data reviewed for JD (check all that apply - checked items shall be included in case file and, where checked and requested, appropriately reference sources below):

- Maps, plans, plots or plat submitted by or on behalf of the applicant/consultant: Survey of 2625 Mural Drive, Chamblee, GA 30341..
- Data sheets prepared/submitted by or on behalf of the applicant/consultant.
- Office concurs with data sheets/delineation report.
- Office does not concur with data sheets/delineation report.
- Data sheets prepared by the Corps: [Click here to enter text.](#)
- U.S. Geological Survey Hydrologic Atlas: National Regulatory Viewer
- USGS NHD data.
- USGS 8 and 12 digit HUC maps.
- U.S. Geological Survey map(s). Cite scale & quad name: [Click here to enter text.](#)
- USDA Natural Resources Conservation Service Soil Survey. Citation: National Regulatory Viewer
- National wetlands inventory map(s). Cite name: National Regulatory Viewer
- State/Local wetland inventory map(s): [Click here to enter text.](#)
- FEMA/FIRM maps: National Regulatory Viewer
- 100-year Floodplain Elevation is: [Click here to enter text.](#) (National Geodectic Vertical Datum of 1929)
- Photographs: Aerial (Name & Date): Google Earth Imagery, 2021.
- or Other (Name & Date): Site photographs and live video submitted by requestor.
- Previous determination(s). File no. and date of response letter: [Click here to enter text.](#)
- Applicable/supporting case law: [Click here to enter text.](#)
- Applicable/supporting scientific literature: [Click here to enter text.](#)
- Other information (please specify): StreamStats, accessed March 2022.

B. REQUIRED ADDITIONAL COMMENTS TO SUPPORT JD. EXPLAIN RATIONALE FOR DETERMINATION THAT THE REVIEW AREA ONLY INCLUDES DRY LAND: The preponderance of evidence indicates that this parcel is comprised of only dry land. A stormwater swale is located on part of the site. The erosional swale has been created from the outflow from a pipe draining stormwater from the street (Stratford Arms Drive) and extending under the driveway of 2625 Mural Drive, Chamblee, GA.

¹ This form is for use only in recording approved JDs involving dry land. It extracts the relevant elements of the longer approved JD form in use since 2007 for aquatic areas and adds no new fields.