

9.00 REFERENCES

- Aadland, Luther P. 2010. Reconnecting Rivers: Natural Channel Design in Dam Removals and Fish Passage. Minnesota Department of Natural Resources, Ecological Resources Division, Fergus Falls, MN.
- Albert, R., R. Everett, J. Lishman, and D. Smith. June 2010. *Availability and Efficacy of Ballast Water Treatment Technology: Background and Issue Paper*. 77 pp.
- Alexander, C., J. Ertel, R. Lee, B. Loganathan, J. Martin, R. Smith, S. Wakeham, and H. Windom. 1994. Pollution History of the Savannah Estuary. Skidaway Institute of Oceanography, September 7, 1994.
- Anderson, R.R., R.G. Brown, and R.D. Rappleye. 1968. "Water Quality and Plant Distribution Along the Upper Patuxent River in Maryland," *Chesapeake Science*, 9(3:145-156).
- Anderson, W. W. 1955. Observations upon the biology, ecology and life history of the common shrimp *Penaeus setiferus* along the South Atlantic and Gulf Coast of the United States. Sec. III, Proc. Indo-Pacific Fisheries Council.
- ANSI/ASA S12.9-1993/Part 3 (R2003) - American National Standard Quantities and Procedures for Description and Measurement of Environmental Sound, Part 3: Short-Term Measurements with an Observer Present.
- Applied Technology & Management, Inc. 1999. Develop Salinity/Chloride Correlation Model. Task SEGCL1.
- Applied Technology and Management. 2003. Savannah Harbor Deepening Project Tidal Marsh Studies Data Report, Volume 1. Report submitted to Georgia Ports Authority, March 2003.
- Applied Technology & Management, Inc. 2004. Evaluation of Underwater Noise Impacts Related to Pile-Driving. Prepared for Georgia Ports Authority.
- Applied Technology and Management (ATM), Inc. May 2007. Savannah Harbor Deepening ATM Marsh Succession Model Marsh/Wetland Impact Evaluation. 52 pp.
- Armstrong, D.A., B. C. Stevens, and J.C. Hoeman. 1982. Distribution and abundance of Dungeness Crab and Crangon Shrimp and dredging-related mortality of invertebrates and fish in Gray's Harbor, Washington. Report No. DA-80-86 Washington Department of Fisheries and US Army Corps of Engineers, Seattle District.
- Baldassarre, Guy A. 1986. Body weight and carcass composition of non-breeding green-winged teal on the southern high plains of Texas. *J. Wildl. Manage*, 50(3):420-426.

REFERENCES (continued)

Barry A. Vittor & Associates, Inc. 2000. Benthic sampling of the nearshore area off Brunswick Harbor, Georgia. Final Report submitted to US Army Corps of Engineers, Savannah District, Savannah, GA.

Barry A. Vittor & Associates, Inc. 2001 A. Assessment of benthic communities for the proposed South Island dredged disposal site, Calibogue Sound, South Carolina, July 2000. Final report submitted to Applied Technology and Management, Inc.

Barry A. Vittor & Associates, Inc. 2001 B. Benthic Sampling and Analysis of the Nearshore Area off Savannah Harbor, Georgia June 2001. Prepared for Dial Cordy and Associates, Inc. Submitted to the US Army Corps of Engineers, Savannah District.

Beal, E.O. 1977. "A Manual of Marsh and Aquatic Vascular Plants of North Carolina with Habitat Data," Tech. Bulletin 247, North Carolina Agricultural Experiment Station, Raleigh, N.C.

Bent, Arthur Cleveland. 1929. Life Histories of North American Shorebirds, Part II, pp. 236-246.

Bent, A.C. 1923. Life histories of North American wildfowl. Part I. United States National Museum Bulletin 126, Washington Government Printing Office, Washington D.C.

Bent, A. C. 1926. Life Histories of North American Marsh Birds. United States National Museum, Bulletin 135, Washington Government Printing Office, Washington D. C.

Bent, A. C. 1919. Life Histories of North American diving birds. *U.S. National Museum Bulletin*, 107, Washington Government Printing Office, Washington D.C.

Blair, S.M., B.S. FLYNN, S. MARKLEY. 1990. Characteristics and assessment of dredge related mechanical impact to hard-bottom reef areas off northern Dade County, FL. *Diving for Science* 90.

Buell, J.W. 1992. Fish entrainment monitoring of the Western-Pacific dredge R. W. Lofgren during operations outside the preferred work period. Buell and Associates. 38 pp. + appendices.

Burton, W.H., S.B. Weisberg, and P. Jacobson. 1992. Entrainment effects of maintenance hydraulic dredging in the Delaware River estuary on striped bass ichthyoplankton. Report to the Delaware Basin Fish and Wildlife Management Cooperative, West Trenton, New Jersey. 33 pp.

Butler, P. A. 1966. The problem of pesticides in estuaries. In R. F. Smith, A. H. Swartz, W. H. Massman, eds. *Symposium on estuarine fisheries*. Am. Fish. Soc. Spec. Publ. No. 3.

REFERENCES (continued)

- Blair S. B. Flynn, T. McIntosh, L. Hefty. 1990. Environmental Impacts of the 1990 Bal Harbor Beach Renourishment Project: Mechanical and Sedimentation Impact on Hard-Bottom Areas Adjacent to the Borrow Area. Metro-Dade DERM Technical Report 90-15.
- Bourgoin, B.P., M.J. Risk, R.D. Evans, and R.J. Cornett. 1991. Relationships between the partitioning of lead in sediments and its accumulation in the marine mussel, Mytilus edulis near a lead smelter. *Water, Air, and Soil Pollution* 57-58:377-386.
- Brandon, Dennis L., Charles R. Lee, John W. Simmers, John G. Skogerboe, and Gerould S. Wilhelm. 1991. Interim report; Long-term evaluation of plants and animals colonizing contaminated estuarine dredged material placed in both upland and wetland environments. Miscellaneous Paper D-91-5. Vicksburg, MS; US Army Engineer Waterways Experiment Station.
- Brannon, J.M. 1978. Evaluation of Dredged Material Pollution Potential. Technical Report DS-78-6, US Army Engineer Waterways Experiment Station, Vicksburg, MS.
- Brannon, James M., Judith C. Pennington, Douglas Gunnison, and Tommy E. Myers. 1990. Comprehensive analysis of migration pathways (CAMP): contaminant migration pathways at confined dredged material disposal facilities," Miscellaneous Paper D-90-5, US Army Engineer Waterways Experiment Station, Vicksburg, MS.
- Burton, G. Allen Jr. 1992. Assessing contaminated aquatic sediments. *Environ. Sci. Technol.*, Vol. 26, No. 10, pp. 1862-1875.
- Carriker, M.R., LaSalle, M.W., Mann, R., and Pritchard, D.W. 1986. Entrainment of oyster larvae by hydraulic cutterhead dredging operations: Workshop Conclusions and Recommendations. *American Malacological Bulletin*, Special Edition No. 3. Pp. 5-10.
- Chadwick, H. K. 1967. Recent migrations of the Sacramento-San Joaquin River striped bass population. *Transactions American Fisheries Society* 96(3): 327-342.
- Chaney, R.L. 1983. Potential effects of waste constituents of the food chain in land treatment of hazardous wastes. 152-240. Park Ridge, NJ: Nyes Data Corporation.
- Clarke, Douglas, C. Dickerson, and K. Reine. 2002. Characterization of Underwater Sounds Produced by Dredges. US Army Engineer Research and Development Center.
- Clarke, Joan U. and Victor A. McFarland. 1991. Assessing bioaccumulation in aquatic organisms exposed to contaminated sediments. Miscellaneous Paper D-91-2, US Army Engineer Waterways Experiment Station, Vicksburg, MS.

REFERENCES (continued)

Conner, Jon J., and Hansford T. Shacklette, 1975. Background Geochemistry of Some Rocks, Soils, Plants and Vegetables in the Conterminous United States. U.S. Geological Survey, Professional Paper 574-F. U.S. Government Printing Office.

Collins, MR., and T.J. Smith. 1993. Characteristics of the adult segment of the Savannah River population of shortnose sturgeon. Proceedings of the Annual Conference of the Southeastern Association of Fish and Wildlife Agencies. 47:485-491.

Collins, M.R. and T.J. Smith. 1997. Distribution of shortnose (*Acipenser brevirostrum*) and Atlantic (*A. oxyrinchus oxyrinchus*) sturgeons in South Carolina. North American Journal of Fisheries Management. 16:24-29. (• in NMFS 1998.)

Collins, M.R., Rogers, S.G., Smith, T.J., and M.L. Moser. 2000. Primary factors affecting sturgeon populations in the southeastern United States: Fishing mortality and degradation of essential habitats. Bulletin of Marine Science: 66:917-928.

Collins, M.R., Post, W.C., and Russ, D. 2001. Distribution of shortnose sturgeon in the lower Savannah River: Results of research from 1999-2000. Final Report to Georgia Ports Authority. 21 pp plus appendices.

Collins, M.R., B.M. Callahan, and W.C. Post. September 21, 2001. Spawning Aggregations of Recreationally Important Sciaenid Species in the Savannah Harbor: Spotted Seatrout *Cynoscion nebulosus*, Red Drum *Sciaenops ocellatus*, Weakfish *Cynoscion regalis*, and Black Drum *Pogonias cromis*. Final Report to Georgia Ports Authority.

Collins, M.R., Post, W.C., Russ, D., and T. Smith. 2002. Habitat Use and Movements of Juvenile Shortnose Sturgeon in the Savannah River, Georgia/South Carolina. Transactions of the American Fisheries Society 131:975-979.

Conrads, PA, Roehl, Daamen RC, and Kitchens WM. Simulation of Water Levels and Salinity in the Rivers and Tidal Marshes in the Vicinity of the Savannah National Wildlife Refuge, Coastal South Carolina and Georgia. US Geological Survey, Scientific Investigations Report 2006-5187, 134 p. Available online at: <http://pubs.usgs.gov/sir/2006/5187/pdf/sir20065187.pdf>

Cowardin, L. M., V. Carter, F. C. Golet, E. T. LaRoe. 1979. Classification of wetlands and deepwater habitats of the United States. U. S. Department of the Interior, Fish and Wildlife Service, Washington, D.C. Jamestown, ND: Northern Prairie Wildlife Research Center Home Page. <http://www.npwrc.usgs.gov/resource/1998/classwet/classwet.htm> (Version 04DEC98).

Crance, J.H. 1986. Habitat suitability models and instream flow suitability curves: shortnose sturgeon. USFWS Biological Report 82 (10.129) 31 pp.

REFERENCES (continued)

Cushing, D. H. (1988). The migration of larval and juvenile fish from spawning ground to nursery ground. J. Cons. Int. Explor. Mer 43: 43-49.

Dew, C.B. and J.H. Hecht. 1994. Recruitment, growth, mortality, and biomass production of larval and early juvenile Atlantic tomcod in the Hudson River estuary. Transactions of the American Fisheries Society, Vol. 123, Number 5. Pp.681-702.

Daniel, L. B., III. 1988. Aspects of the Biology of Juvenile Red Drum, *Sciaenops ocellatus*, and Spotted Seatrout, *Cynoscion nebulosus*, (Pisces: Sciaenidae) in South Carolina. M.S. thesis, College of Charleston.

Day, J.W., C.A. Hall, W.M. Kemp, and A. Yanez-Arancibia. ----. "Estuarine Ecology", Baton Rouge, Louisiana

Demayo, A., M. C. Taylor, K. W. Taylor, and P. V. Hodson. 1982. Toxic effects of lead and lead compounds on human health, aquatic life, wildlife, plants and livestock. CRC Crit. Rev. Environ. Control 12:257-305.

Dew, C.B. and J.H. Hecht. 1994. Recruitment, growth, mortality, and biomass production of larval and early juvenile Atlantic tomcod in the Hudson River estuary. Transactions of the American Fisheries Society, Vol. 123, Number 5. Pp.681-702.

Dudley, R. G., A. W. Mullis, and J. W. Terrell. 1976. Movements of Adult Striped Bass in the Savannah River. Transaction American Fisheries Society 106(4): 314-322.

Dudley, R. G., and K. N. Black, 1979. "Effect of the Savannah River Tide Gate on Striped Bass Eggs and Larvae," Contract DACW21-78-C-0073, U.S. Army Corps of Engineers. 46 pp.

Dudley, R. and K. Black. 1979. Distribution of striped bass eggs and larvae in the Savannah River estuary. Proceedings of the Annual Conference of Southeastern Association of Fish and Wildlife Agencies 32:561-570.

EA. 2008. Savannah Harbor Expansion Project, Phase II Sediment Evaluation, Prepared for the US Army Corps of Engineers, Savannah District, by EA Engineering, Science, and Technology, Sparks, Maryland 21152, January 2008.

Edens, F.W., E. Benton, J.J. Bursian, and G. W. Morgan. 1976. Effect of dietary lead on reproductive performance in Japanese quail, Coturnix coturnix japonica. Toxicol. Appl. Pharmacol. 38: 307-314.

Ellis, S.L., J.H. W. Hain, and R.D. Kenney. 1993. Right Whales off Northeast Florida 5 January to 12 February 1993: Biology and Habitat Use. Final Report submitted to the U.S. Army Corps of Engineers, Marine Mammal Commission, National Marine Fisheries Service, and the U.S. Navy. 32 pp.

REFERENCES (continued)

EMC Engineering. 1993. Savannah Harbor Agitation Dredging Environmental Study, for Georgia Ports Authority, Amoco Oil Company, Chevron USA, Colonial Oil, Domtar Gypsum, Intermarine, Koch Materials, Powell Duffryn, Savannah Marine Services, Savannah Foods and Industries, March, 1993. EMC Engineering Services, Inc., Savannah, GA. 72 pp + app.

EMC Engineering, 1995. Savannah Harbor Sediment Testing; Stone Container. March 1995. EMC Engineering Services, Inc., Savannah, GA.

ENVIRON International Corporation. 2008. "Dissolved Oxygen Toxicity Testing Results, Port Wentworth, Georgia", September 2008. ENVIRON International Corporation, Nashville, TN. 64 pp.

Environmental and Chemical Services (ECS), Inc. 1983. "Final Report on the Preliminary Biological Measurement Program in the Savannah River 1 March through 31 August 1982, Vol. 1," Prepared for E. I. DuPont de Nemours & Company, Contract No. AX568433U.

Environmental Protection Systems, Inc. (EPS). 1982. Chemical Analysis of Sediments Collected in the Savannah Harbor, Chatham County, Georgia. Prepared for the U.S. Army Engineer District Savannah, Contract No. DACW21-81-C-0128. Environmental Protection Systems, Inc., Jackson Miss. 21 pp + app.

Farley, T. C. 1966. Striped bass spawning in the Sacramento-San Joaquin River system during 1963 and 1964. California Department Fish and Game, Fish Bulletin 136:28-43.

Flournoy, Phillip H., S. Gordon Rogers, and Paulette S. Crawford. 1992. Restoration of shortnose sturgeon in the Altamaha River, Georgia. USFWS Project Number AFS-2, Segments One and Two, Coastal Resources Division, Georgia Department of Natural Resources, Final Report.

Fredette, T.J., D.A Nelson. 1990. "Guidelines For Physical And Biological Monitoring Of Aquatic Dredged Material Disposal Sites", Technical Report D-90-12, U.S. Army Engineer Waterways Experiment Station, Vicksburg, Miss.

Fredrickson, Leigh. 1994. Personal Comment. Gaylord Memorial Laboratory, University of Missouri.

Galtsoff, P. S. 1964. The American oyster *Crassostrea virginica* Gmelin. Fish. Bull. 64:1-480.

Gambrell, R.P., R.A. Khalid, and W.H. Patrick, Jr. 1978. "Disposal Alternatives for Contaminated Dredged Material as a Management Tool to Minimize Adverse Environmental Effects," Technical Report DS-78-8, US Army Engineer Waterways Experiment Station, Vicksburg, MS.

REFERENCES (continued)

- Gambrell, R.P., J.B. Wiesepape, W.H. Patrick, Jr., and M.C. Duff. 1991. The effects of Ph, redox, and salinity on metal release from a contaminated sediment. *Water, Air, and Soil Pollution* 57-58:359-367.
- GADNR (Georgia Department of Natural Resources). October 2009. Georgia Aquatic Nuisance Species Management Plan Final. Compiled and written by Margaret Myszewski, Carl Vinson Institute of Government, University of Georgia, and members of the Georgia Invasive Species Management Plan Advisory Committee (Committee). 117 pp.
- GADNR (Georgia Department of Natural Resources). 1975. Water quality monitoring data for Georgia streams 1974. Environmental Protection Division, Atlanta, GA. 376 pp.
- GADNR (Georgia Department of Natural Resources). 1984. Water quality monitoring data for Georgia streams 1983. Environmental Protection Division, Atlanta, GA. 308 pp.
- GADNR (Georgia Department of Natural Resources). 1992. Personal communication from Charles Maley, 4 August 1992.
- GADNR (Georgia Department of Natural Resources). 1995. Rules of the Georgia Department of Natural Resources Environmental Protection Division. Chapter 391-3-19. Hazardous Site Response. 22 February, 1995. 82 pp.
- GADOT (Georgia Department of Transportation). 1989. Waterways Dredged Material Containment Areas Study, Atlanta, GA. 176 pp.
- Giesy, J.P. et al. 1988. "Toxicity of Detroit River Sediment Interstitial Water to the Bacterium Photobacterium phosphoreum", *Journal of Great Lakes Research*, Vol. 14, No. 4, pp. 502-513.
- Gilbert, R. J., S. Larson, and A. Wentworth. 1985. The relative importance of the lower Savannah River as a striped bass spawning area. University of Georgia, Athens, GA. 34 pp.
- Granger, M. L., 1968. Savannah Harbor - It's Origin and Development; 1733-1890. Annex B. U. S. Army Engineer District, Savannah. 53 pp.
- Gunter, G., B.S. Ballard, and A. Venkataramaiah. 1973. "Salinity Problems of Organisms in Coastal Areas Subject to the Effect of Engineering Works", Contract Report H-73-3, U.S. Army Engineer Waterways Experiment Station, Vicksburg, Miss.
- Hackney, C. T., M. H. Posey, S.W. Ross, and A. R. Norris. 1996. A Review and Synthesis of Data on Surf Zone Fishes and Invertebrates in the South Atlantic Bight and the Potential Impacts from Beach Nourishment. Report to the U.S. Army Corps of Engineers, Wilmington. 110 pp.
- Hall, J.W., T.I.J. Smith and S.D. Lamprecht. 1991. Movements and Habitats of shortnose sturgeon, Acipenser brevirostrum, in the Savannah River. *Copeia* 1991 (3):695-702.

REFERENCES (continued)

Hayden, B. and R. Dolan. 1974. Impact of beach nourishment on distribution of *Emerita talpoida*, the common mole crab. *Journal of the American Waterways, Harbors, and Coastal Engineering Division*; ASCE 100:WW2. pp. 123-132.

Hayes, D.F., G.L. Raymond, and T.N. McLellan. 1984. Sediment Resuspension from Dredging Activities. In *Dredging and Dredge Material Disposal*. RL Montgomery and JW Leach, eds. *Proceeding of the Conference – Dredging’84*. November 14-16, 1984.

Haux, C., A. Larsson, G. Lithner, and M. L. Sjöceck. 1986. A field study of physiological effects on fish in lead-contaminated lakes. *Environ. Toxicol. Chem.* 5:283-288.

Helmets, D.L. 1992. Shorebird Management Manual. Western Hemisphere Shorebird Reserve Network. Manomet, Massachusetts. 58 pp.

Hirsch, ND, LH DiSalvo, and R. Peddicord. 1978. Effects of Dredging and Disposal on Aquatic Organisms. Technical Report DS-78-5. US Army Engineer Waterways Experiment Station, August 1978.

Holmgren, G.G.S., M.W. Meyer, R.L. Chaney, and R.B. Daniels. 1993. Cadmium, Lead, Zinc, Copper, and Nickel in Agricultural Soils of the United States of America. *J. Environ. Qual.* 22:335-348.

Howe, M.A. 1989. Migration of radio-marked whooping cranes from the Aransas-Wood Buffalo population: Patterns of habitat use, behavior, and survival. U.S. Fish and Wildlife Service, Fish Wildlife Technical Report 21. 33 pp.

Huval, Carl J., R. H. Multer, P. K. Senter, and M. B. Boyd. 1979. "Savannah Harbor Investigation and Model Study, Volume IV Reanalysis of Freshwater Control Plan," Technical Report 2-580, U.S. Army Engineer Waterways Experiment Station, Vicksburg, Miss.

Jenkins, W.E., T.I.J. Smith, L.D. Heyward, and D.M. Knott. 1993. Tolerance of shortnose sturgeon *Acipenser brevirostrum* to different salinity and DO concentrations. *Proceedings of the Annual Conference of the Southeastern Association of Fish and Wildlife Agencies*. 476-484.

Jennings, C.A and R.S. Weyers. 2003. Temporal and Spatial Distribution of Estuarine-Dependent Species in the Savannah River Estuary July 2000 to December 2002. Final Report for Account #10-21-RR251-148. Prepared for the Georgia Ports Authority, Savannah Georgia.

Jensen, A., and G. Silber. 2003. Large Whale Ship Strike Database. U.S. Dep. Commerce, NOAA Technical Memorandum NFMS-F/OPR-25, 37 p.

REFERENCES (continued)

Johnson, B.H., M. J. Trawle, and P. G. Kee. 1986. "A Numerical Model Study of the Effect of Channel Deepening on Shoaling and Salinity Intrusion in the Savannah Estuary, Vol. I: Main Text, Technical Report HL-86, U.S. Army Engineer Waterways Experiment Station, Vicksburg, Miss.

Johnson, A. S. and H.O. Hillestad, Institute of Natural Resources, University of Georgia, Athens and Sheryl Fanning Shanholtzer and G. Frederick Shanholtzer, Dames and Moore, Crawford, New Jersey. 1974. An Ecological Survey of the Coastal Region of Georgia. National Park Service, Scientific Monograph, Number Three.

Jutte, P.C., R.F. Van Dolah, and M.V. Levisen. 1999. An Environmental Monitoring Study of the Myrtle Beach Renourishment Project: Intertidal Benthic Community Assessment. Phase I – Cherry Grove to North Myrtle Beach. Final Report. South Carolina Department of Natural Resources Marine Resources Division, Charleston, South Carolina.

Kennicutt, M.C., II, T.L. Wade, B.J. Presley, A.G. Requejo, J.M. Brooks, and G.J. Denoux. 1994. Sediment Contaminants in Casco Bay, Maine: Inventories, Sources, and Potential for Biological Impact. *Environ. Sci. Technol.*, 25:1-15.

Khalid, R. J., R. P. Gambrell, M. G. Verloo, and W.H. Patrick, Jr. 1977. "Transformations of Heavy Metals and Plant Nutrients in Dredged Sediments as Affected By Oxidation Reduction Potential and Ph, Volume I: Literature Review," Contract Report D-77-4, U.S. Army Engineer Waterways Experiment Station, Vicksburg, Miss.

Kornegay, J. W. and E. T. Humphries. 1975. Spawning of the striped bass in the Tar River, North Carolina. *Proceedings Annual Conference Southeastern Association Game Fish Commissioners.* 29:317-325.

Kitchens, Wiley M, Mallo, Kate, Brush, Janell M., Graves, Christopher, Berryman, Scott D., Webb, Russell, Wetzal, Paul, Dusek, Marsha L. , Duberstein, Jamie , Loftin, Cynthia S., McCloskey, Jon R. , 2003. "Tidal Wetland Studies and Tidal Wetland Resource Utilization Studies" Final Report.

Korte, F. 1983. Ecotoxicology of Cadmium: General Review. *Ecotoxicol. Environ. Safety* 7:3-8.

Kraus, S.D., R.D. Kenney, A.R. Knowlton, and J. Ciano. 1993. Endangered right whales of the southwestern North Atlantic. OCS Study, MMS 90-0079, Final Report to the Minerals management Service, Herndon, VA. 69 pp.

Kuthuhn, J. H. 1966. The role of estuaries in the development, and perpetuation of commercial shrimp resources. In R. F. Smith, A. H. Swartz, W. H. Massmann, eds. A symposium on estuarine fisheries. Am. Fish. Soc. Spec. Publ. No. 3.

REFERENCES (continued)

Kynard, B. 1997. Life history, latitudinal patterns, and status of the shortnose sturgeon, *Acienser brevirostrum*. *Environmental Biology of Fishes*. 48:39-334.

LaSalle, M.W., D.G. Clarke. 1991. "A Framework For Assessing The Need For Seasonal Restrictions On Dredging And Disposal Operations", Technical Report D-91-1, U.S. Army Engineer Waterways Experiment Station, Vicksburg, Miss.

Latham, P.J. and W.M. Kitchens. 1996. Changes in vegetation and interstitial salinities in the lower Savannah River: 1986 – 1994. Final Report. U.S. Fish and Wildlife Service, Charleston, S.C. 16 pp.

Latham, P.J., G.J. Pearlstine, and W.M. Kitchens. 1994. Species association changes across a gradient of freshwater, oligohaline, and mesohaline tidal marshes along the lower Savannah River. *Wetlands* 14(3):174-183.

Lee, Charles R., L. Jean O'Neil, Ellis J. Clairain, Dennis L. Brandon, Richard G. Rhett, Dana R. Sanders, John G. Skogerboe, Stratford H. Kay, Bobby L. Folsom, Jr., James S. Wakeley, Thomas H. Roberts, Karen M. Saddler, David R. Kendall, John D. Lunz. 1986. Remedial Investigation of Contaminant Mobility at Naval Weapons Station, Concord, California. Waterways Experiment Station, Corps of Engineers, Vicksburg, MS. Miscellaneous Paper EL-86-2, January 1986.

Lee, Charles R., 1995. Draft CEWES-ES-F memo dated May 5, 1995, Subject: "DOTS Response To Environmental Impact Evaluation Of Dredged Material In Upland Confined Disposal Facilities." Waterways Experiment Station, Corps of Engineers, Vicksburg, MS.

Lindsay, W. L., 1979. *Chemical Equilibria in Soils*. John Wiley and Sons.

Lettenmaier, D.P., A.W. Wood, R.N. Palmer, E.F. Wood, and E.Z. Stakhiv, 1999. Water Resources Implications of Global Warming: A U.S. Regional Perspective. *Clim. Change*, 43(3): 537-579. November.

Logan, T.J., and R.L. Chaney. 1983. Utilization of municipal wastewater and sludge on land-metals. Proceedings of the 1983 Workshop, U.S. Environmental Protection Agency, U.S. Army Corps of Engineers, USDA Cooperative State Research Service, National Science Foundation, and University of California-Kearney Foundation of Soil Science, University of California, Riverside, CA.

Long, Edward R. Long, and Lee G. Morgan. 1990. The potential for biological effects of sediment-sorbed contaminants tested in the national status and trends program. NOAA Technical Memorandum NOS OMA 52, March 1990.

REFERENCES (continued)

Long, Edward R., Donald D. MacDonald, Sherri L. Smith, and Fred D. Calder. 1993. Incidence of Adverse Biological Effects within Ranges of Chemical Concentrations in Marine and Estuarine Sediments. Submitted to Environmental Management, 10/15/93.

Luoma, S.N. 1989. *Hydrobiologia* 176/177:379.

MACTEC Engineering and Consulting, Inc. June 2005. Final Identification and Screening Level Evaluation of Measures to Improve Dissolved Oxygen in the Savannah River Estuary, Savannah River Expansion Project and Savannah Harbor Ecosystem Restoration Study, Chatham County, Georgia. Prepared for the US Army Corps of Engineers, Savannah District.

MACTEC, 2005: Identification and Screening Level Evaluation of Measures to Improve Dissolved Oxygen in the Savannah River Estuary. Prepared for USACE Savannah District, June 2005.

MACTEC, 2008: Savannah Harbor Reoxygenation Demonstration Project, Savannah, Georgia. Prepared for the Georgia Ports Authority, January 8, 2008.

MacDonald, D. D. MacDonald Environmental Sciences Ltd. 1993. Development of an Approach to the Assessment of Sediment Quality in Florida Coastal Waters. Prepared for the Florida Department of Environmental Regulation, Tallahassee, FL. Ladysmith, British Columbia. January.

McFarland, Victor A., Joan U. Clarke, Charles H. Lutz, A. Susan Jarvis, Brian Mulhearn, and Francis J. Reilly, Jr. 1994. Bioaccumulation potential of contaminants from bedded and suspended Oakland Harbor deepening project sediments to San Francisco Bay flatfish and bivalve mollusks. Miscellaneous Paper EL-94-7, U.S. Army Engineer Waterways Experiment Station, Vicksburg, MS.

McIlwain, T. D. 1968. Distribution of the striped bass, *Morone saxatilis*, (Walbaum) in Mississippi waters. Proc. 21st Ann. Conf. S.E. Assoc. Game and Fish Comm.: 254-257.

McLellan, T. N. and F.D. Imsand. 1989. Berm Construction Utilizing Dredged Material, Proceedings of WODCON XII, Western Dredging Association, pp 811-820.

Morgan, R. P.; T.S.Y. Koo; G. E. Krantz. Electrophoretic determination of populations of the striped bass, *Monroe saxatilis*, in the Upper Chesapeake Bay. Trans. Amer. Fish. Soc. 102(1): 21-32; 1973.

Moser, Mary. 1999. Cape Fear River Blast Mitigation Tests: Results of Caged Fish Necropsies. Final Report to CZR, Inc. under Contract to U.S. Army Corps of Engineers, Wilmington District.

Memorandum dated 8 August 1995 from Douglas Clarke, PhD, Coastal Ecology Branch, Waterways Experiment Station, Corps of Engineers, DOTS Request for Assistance.

REFERENCES (continued)

National Academy of Science. 1978. An assessment of mercury in the environment. Natl. Acad. Sci., Washington, DC. 185 pp.

National Marine Fisheries Service. 1997. Regional Biological Opinion for the Continued Hopper Dredging of Channels and Borrow Areas in the Southeastern United States. U.S. Department of Commerce, NOAA, Silver Spring, MD. 18 pp.

National Marine Fisheries Service Shortnose Sturgeon Recovery Team. 1998. Recovery Plan for the Shortnose Sturgeon (*Acipenser brevirostrum*). U.S. Department of Commerce, NOAA, Silver Spring, MD. 104 pp.

National Marine Fisheries Service. 2006. Sea Turtle and Small Tooth Sawfish Construction Conditions.

National Marine Fisheries Service (NMFS). 2007. Draft Spawning Habitat Suitability Index Models and Instream Flow Suitability Curves, Model I: Shortnose Sturgeon, Southeastern Atlantic Coast River Basins. Prescott H. Brownell, Ed. NMFS, Charleston, SC. 12 pp.

National Marine Fisheries Service. 2011. Endangered Species Act-Section 7 Consultation Final Biological Opinion. Deepening of the Savannah Harbor Federal Navigation Channel in Association with the Savannah Harbor Expansion Project.

Neff, J.F. 1981. Fate and biological effects of oil well drilling fluids in the marine environment. *In*: Final Technical Report to the USEPA.

Neff, J.F. 1985. Biological effects of drilling fluids, drill cuttings, and produced waters. *In*: The long-term effects of offshore oil and gas development: An assessment and research strategy. D.F. Boesch and N.N. Rabalais (eds).

Nelson, D.A., and D.J. Shafer (1996). Effectiveness of a Sea Turtle-Deflecting Hopper Dredge Draghead. in Port Canaveral Entrance Channel, Florida. Miscellaneous Paper D-96-3, U.S. Army Engineer Waterways Experiment Station, Vicksburg, MS.

Nelson, W.G. 1989. An overview of the effects of beach nourishment on the sand beach fauna. *In*: Beach Preservation Technology'88: Problems and Advancements in Beach Nourishment, ed L.S. Tait. Florida Shore and Beach Preservation Association, Tallahassee, FL, USA. Pp295-310.

Nichols, P. R., and Peggy M. Keney. 1963. Crab larvae (*Callinectes*) in plankton collections from cruises of M/V *Theodore N. Gill*, South Atlantic Coast of the United States, 1953-54. U.S. Fish Wildl. Serv. Spec. Sci. Rep. Fish. 448.

REFERENCES (continued)

O'Conner, T.P. 1990. Coastal Environmental Quality in the United States, 1990. Chemical Contamination in Sediment and Tissues; A Special NOAA 20th Anniversary Report: Coastal and Estuarine Assessment Branch, Ocean Assessments Division, Office of Oceanography and Marine Assessment, National Ocean Service, National Oceanic and Atmospheric Administration: Rockville, MD, 1990, 34 pp.

Odum, W.E., T.J. Smith III, J.K. Hoover, and C.C. McIvor. 1984. The Ecology of Tidal Freshwater Marshes of the United States East Coast: A Community Profile", U.S. Fish and Wildlife Service, FWS/OBS-83/17. 177p.

Palazzo, A.J. and C.M. Reynolds. 1991. Long-term changes in soil and plant metal concentrations in an acidic dredge disposal site receiving sewage sludge. *Water, Air, and Soil Pollution* 57-58: 839-848.

Parasiewicz, P, J. Eberstaller, S. Weiss, and S. Schmutz. 1998. Conceptual Guidelines for Nature-like Bypass Channels. In *Fish Migration and Bypass*, edited by M. Jungwirth, S. Schmutz and S. Weiss. Fishing News Books. Oxford, UK: Blackwell Science Ltd Publisher.

Palermo, Michael R. 1988. Field Evaluations of the Quality of Effluent from Confined Dredged Material Disposal Areas. Technical Report D-88-1. U.S. Army Waterways Experiment Station. February 1988.

Palermo, M.,J. Homziak, and A. Teeter. 1988. Evaluation of Clamshell Dredging and Barge Overflow, Military Ocean Terminal, Sunny Point, NC, US Army Corps of Engineers Water Experiment Station, Vicksburg, MS, for US Army Engineer District, Wilmington, NC. In Preparation.

Paller, J., J. OHara, V. Oseen, W. Specht and H. Kania. 1984. Annual report on the Savannah River Aquatic Ecology Program, September 1982 - August, Vol. I, (ESC-SR-8). Environmental & Cem. Sci., Inc., Aiken, S.C. 238 pp + app.

Payonk, P., M. Palermo, and A. Teeter. 1988. Clamshell Dredging and Overflow Monitoring. Military Ocean Terminal, Sunny Point, NC. In: *Proceedings of the American Water Resources Association Symposium on Coastal Water Resources*. W.Lyke and T. Hoban eds. May 1988. pp 99-108.

Pearlstine, L., R. Bartleson, W. Kitchens, and P. Latham. 1989. "Lower Savannah River Hydrological Characterization" Technical Report # 35, Florida Cooperative Fish and Wildlife Research Unit, Gainesville, Florida.

Pearlstine, L., P. Latham, W. Kitchens, and R. Bartleson. 1990. "Development and Application of a Habitat Successional Model for the Wetland Complex of the Savannah National Wildlife Refuge, Volume II, Final Report", Florida Cooperative Fish and Wildlife Research Unit, Gainesville, Florida.

REFERENCES (continued)

- Pearlstine, L., P. Katham, W. Kitchens, and R. Bartleson. 1990. Development and application of a habitat succession model for the wetland complex of the Savannah National Wildlife Refuge. Volume II. Final Report. U.S Fish and Wildlife Services, Savannah, GA. 123 pp.
- Peddicord, R.K. and V.A. McFarland. 1978. Effects of Suspended Dredge Material on Aquatic Animals. Technical Report D-78-21. US Army Waterways Experiment Station. July 1978.
- Personal Communication. Mr. Mark G. Dodd, the Georgia Sea Turtle Program Coordinator, with the Georgia Department of Natural Resources. Email dated 6 November 2006. Tybee Island Sea Turtle Project, Nesting Season 2006.
- Personal Communication. Ms. Dubose Griffin, South Carolina Sea Turtle Program Coordinator, SC Department of Natural Resources, Wildlife and Freshwater Fisheries Division. 2006 Sea turtle nesting on Daufuskie and Turtle Islands. Email dated 6 November 2006.
- Personal Communication, 20 February 2007, Jim Kelly, GADNR, EPD, APB and Fatina Washburn, SCDHEC, BAQ
- Personal Communication, 26 February 2007, Mr. Spud Woodard, Assistant Director for Marine Fisheries, Coastal Resources Division, GA-DNR
- Pooptech, T. 1982. Potential effects of offshore tin mining on marine ecology. *Proceedings of the Working Group Meeting on Environmental Management in Mineral Resource Development*, Series No. 49, p.70-73.
- Post, William, and Sidney A. Gauthreaux, Jr. 1989. Status and Distribution of South Carolina Birds. Contributions from the Charleston Museum XVIII. Charleston, South Carolina. 83 pp.
- Power, A.J., R.L. Walker, K. Payne, and D. Hurley. 2004. First Occurrence of the Nonindigenous Green Mussel, *Perna viridis*, (Linnaeus, 1758) in Coastal Georgia, United States. *Journal of Shellfish Research* 23 (3): 741-744
- Power, A; T. Bliss; A. Rahn; and R. Walker. 2008. Preventing the Introduction and Reducing the Spread of Invasive Aquatic Species in Coastal Georgia Through Research and Public Awareness and Monitoring Campaign. NOAA's Coastal Incentive Grant Program. Proposal Number 034755-01 and UGA Grant Number 2731GE337 191. Final Report. 407pp.
- Preist, W.I. 1981..The Effects of Dredging Impacts on Water Quality and Estuarine Organisms: A Literature Review. In: A Study of Dredging Effects in Hampton Roads, VA, Final Contract Report for US Army Corps of Engineers, Norfolk District by the Virginia Institute of Marine Sciences, Walter I. Preist, III ed. March 1981. SRAMSOE No. 247.
- Pritchard, D. W. 1967a. What is an estuary: physical viewpoint. Pages 3-5 in G. H. Lauff, ed. *Estuaries*. Am. Assoc. Adv. Sci. Publ. 83.

REFERENCES (continued)

- Pritchard D.W. 1967b. Observation of circulation in coastal plain estuaries. Pages 37-44 in G. H. Lauff, ed. Estuaries. Am. Assoc. Adv. Sci. Publ. 83.
- Quattro, J.M., T.W. Greig, D.K. Coykendall, B.W. Bowen, and J.D. Baldwin. 2002. Genetic issues in aquatic species management: The shortnose sturgeon (*Acipenser brevirostrum*) in the southeastern United States. Cons. Genet. 3: 155-166.
- Radtke, L. D. and J. L. Turne. 1967. High concentrations of total dissolved solids block spawning migration of striped bass, Roccus saxatilis, in the San Joaquin River, California. Transactions American Fisheries Society. 96:405-407.
- Raney, E.C. The life history of the striped bass Roccus saxatilis (Walbaum). Bull. Bingham Oceanogr. Coll. 14(1): 5-97; 1952.
- Rathburn, G. B., R. K. Bonde, and D. Clay. 1981. The status of the West Indian manatee on the Atlantic coast north of Florida. Presented at nongame and endangered species symposium. Georgia Department of Natural Resources. Athens, Georgia. 30 pp.
- Reinert, T.R., K.L. Jefferson and C.A. Jenings. 1998. Abundance and distribution of striped bass eggs and larvae in the Savannah River Estuary – Implications for the channel dredging window. Final Report prepared for the U.S. Army Corps of Engineers, Savannah District. 87 pp + appendices.
- Richardson, W.J., C.R. Greene, Jr., C.I. Malme, D.H. Thomson with contributions by S.E. Moore and B. Wursig. 1995. Marine Mammals and Noise.
- Rickman, Denis D. 2000. Analysis of Water Shock Data and Bubble Screen Effectiveness on the Blast Effect Mitigation Test Series, Wilmington Harbor, North Carolina. US Army Engineer Research and Development Center, Structures Laboratory. ERDC/SL TR-00-4
- Rogers, S. Gordon, and Wendi Weber. 1994. Occurrence of shortnose sturgeon (Acipenser brevirostrum) in the Ogeechee-Canoochee River System, Georgia during the summer of 1993. Final Report to the Nature Conservancy of Georgia, for the U.S. Army, Fort Stewart, Georgia, January 1994, Coastal Resources Division, Georgia Department of Natural Resources.
- S&ME. 1995. Sediment Evaluation of Georgia Ports Authority Berth 7 Sediments, Received 4/25/95.
- Saloman, C. H. & S.P. Naughton. 1984. Beach restoration with offshore dredged sand: effects on nearshore macrofauna. U.S. Dept. Commerce, National Oceanic and Atmospheric Administration, NOAA Tech. Mem. NMFS-SEF-133.

REFERENCES (continued)

- Sanders, J.G., and G.F. Riedel. 1987. Control of trace element toxicity by phytoplankton. In *Phytochemical Effects of Environmental Compounds* (Saunders, J.A., L. Kosak-Channing, and E.E. Conn, eds). Plenum, New York, pp. 131-149.
- Sandifer, P.A., J.V. Miglarese, D.R. Calder, et.al. 1980. "Ecological Characterization of the Sea Island Coastal Region of South Carolina and Georgia. Vol. III: Biological Features of the characterization Area. U.S. Fish and Wildlife Service, Office of Biological Services, Washington, D.C. FWS/OBS-79/42. 620pp.
- Savannah Laboratories and Environmental Services, Inc. 1983. Elutriate and Sediment Fractionation Characteristics of Sediment from four stations in Savannah Harbor, Georgia. Contract #DACW21-82-M-0978, U.S. Army Corps of Engineers, Savannah District.
- Savannah Laboratories and Environmental Services, Inc. 1994. Sediment Testing Results for CITCO, sediments received 28 May 1994.
- Scanlon, P.F. 1979. Lead contamination of mammals and selected invertebrates near highways of different traffic volumes. pp. 200-208 in: *Symposium Pathobiology Environmental Pollutants: Animal models and wildlife as monitors*. National Research Council, National Academy of Sciences.
- Schmitt, D.N. and J.H. Hornsby. 1985. A Fisheries survey of the Savannah River. Georgia Department of Natural Resources, Game and Fish Division. Atlanta, Georgia. 91 pp.
- Schroeder, B.A. 1987. 1986 annual report of the sea turtle stranding and salvage network Atlantic and Gulf Coasts of the United States. January - December 1986. National Marine Fisheries Service. Coastal Resources Division, Miami, Florida. CRD-87/88-12. 45 pages.
- Schroeder, B.A. and A.A. Warner. 1988. 1987 Annual report of the sea turtle stranding and salvage network Atlantic and Gulf Coasts of the United States. January - December 1987. National Marine Fisheries Service. Coastal Resources Division, Miami, Florida. CRD-87/88-28. 45 pages.
- Scott, Geoffrey I., Thomas G. Bailou, Jeffrey A. Dahlin, and Kevin R. Pope. Draft. Summary and Evaluation of the Toxicological and Physiological effects of pollutants on shellfish. Part One. Heavy Metals. Submitted to: NOAA, Office of Marine Pollution Assessment Office of Operational Programs RD/MP2, Seattle, WA. Research Planning Institute, Inc., Columbia, SC.
- Scruggs, G.D., Jr. and J. C. Fuller. 1955. Indications of a freshwater population of striped bass, Roccus saxatilis (Walbaum) in Santee Cooper Reservoir. Proc. S.E. Assoc. Game and Fish Comm. 64-69; 1955.

REFERENCES (continued)

Secor, D.J. and E.J. Niklitschek. 2002. Sensitivity of sturgeons to environmental hypoxia: A review of physiological and ecological evidence. In: Fish Physiology, Toxicology, and Water Quality .Proceedings of the Sixth International Symposium, La Paz, MX, 22-26 Jan. 2001. U.S. Environmental Protection Agency Office of Research and Development, Ecosystems Research Division, Athens, GA.

Skidaway Institute of Oceanography. 1974. "Research to Determine the Environmental Response to the Deposition of Spoil on Salt Marshes Using Diked and Undiked Techniques," Contract No. DACW-21-71-0020, U.S. Army Engineer District, Savannah.

Skidaway Institute of Oceanography, October 1992. Draft final report. Physical and chemical analysis and bioassay of sediments in the Savannah River entrance channel. Prepared for the U.S. Army Corps of Engineers, Savannah District.

Skidaway Institute of Oceanography. 1993. "Environmental Impact Of Agitation Dredging At Southern Bulk Industries Terminal, East Coast Terminals And Wood Chip Exporting Facility, Savannah Harbor," Prepared for Terminal Management Corporation, Savannah, GA. 26 pp + app.

Smith, T.I.J. and W.E. Jenkins. 1991. Development of a shortnose sturgeon, *Acipenser brevirostrum*, stock enhancement program in North America. Pages 329-336 in: E.Williot, editor. Centre National du Machinisme Agricole du Genie Rural des Eaux et des Froets (CEMAGREF). (* in NMFS 1998.)

Smith, T., Heyward, L., Jenkins, W. and Collins, M. 1992. Culture and Stock Enhancement of Shortnose Sturgeon *Acipenser brevirostrum*, in the Southern United States. *Contribution No. 326 for South Carolina Marine Resources Center.*

Smith, T.I.J., M.R. Collins. 1996. Shortnose sturgeon stocking success in the Savannah River. Proceedings of the Annual Conference of the Southeastern Association of Fish and Wildlife Agencies 50:112-121.

Smith, T.I.J., Collins, M.R., Post, W.C., and J.W. McCord. In press. Stock enhancement of shortnose sturgeon: a case study. Transactions of the American Fisheries Society.

Sneaker, Eileen M. 1991. Zinc, copper, cadmium, and lead in minespoil, water, and plants from reclaimed mine land amended with sewage sludge. *Water, Air, and Soil Pollution* 57-58: 849-859.

Stern, EM and WB Stickle. 1978. Effect of Turbidity and Suspended Material in Aquatic Environments: Literature Review. Technical Report D-78-21. US Army Engineer Waterways Experiment Station. June 1978.

REFERENCES (continued)

- SCCC (South Carolina Coastal Council). 1987. Special Area Management Plan; Lower Savannah River, 73 pp.
- Tariq, Jaleel, M. Jaffar, M. Ashraf and M. Moazzam. 1993. Heavy Metal Concentrations in Fish, Shrimp, Seaweed, Sediment, and Water from the Arabian Sea, Pakistan. *Marine Pollution Bulletin* 26:644-647.
- Tatem, Henry E. 1990. "Determination of the Chemical Suitability of a Dredged Material Containment Area for Aquaculture," Technical Report EL-90-12, US Army Engineer Waterways Experiment Station, Vicksburg, MS.
- Teas, W.G. and A. Martinez. 1989. 1988 Annual report of the sea turtle stranding and salvage network Atlantic and Gulf Coasts of the United States. January - December 1987. National Marine Fisheries Service. Coastal Resources Division, Miami, Florida. CRD-88/89-19. 47 pages.
- Tetra Tech, Inc. January 30, 2006. Development of the Hydrodynamic and Water Quality Models for the Savannah Harbor Expansion Project. Prepared for the US Army Corps of Engineers, Savannah District. 104 pp. with appendices.
- Tetra Tech, Inc. November 16, 2006. Savannah Harbor Expansion Project – Chloride Data Analysis and Model Development. Prepared for the US Army Corps of Engineers, Savannah District. 42 pp.
- Tetra Tech, Inc. October 12, 2006. Savannah Harbor Expansion Project – Fishery Habitat Impacts of the Savannah Harbor Expansion Project. Prepared for the US Army Corps of Engineers, Savannah District. 588 pp.
- Tetra Tech, Inc. February 2, 2007. Fishery Habitat Impacts of the Savannah Harbor Expansion Project: Detailed Evaluation of Mitigation Plans. Prepared for the US Army Corps of Engineers, Savannah District. 279 pp.
- Tetra Tech, Inc. February 12, 2007. Water Quality Impacts of the Savannah Harbor Expansion Project. Prepared for the US Army Corps of Engineers, Savannah District. 243 pp.
- Tetra Tech, Inc. March 2007. Chloride Mitigation Evaluation for Mitigation Plans 1 through 5. Prepared for the US Army Corps of Engineers, Savannah District. 70 pp.
- Tetra Tech, Inc. March 2008. Savannah Harbor Expansion Project Evaluation of Fishery Habitat Impacts with Proposed Mitigation Plan. Prepared for the US Army Corps of Engineers, Savannah District. 355pp.

REFERENCES (continued)

Tetra Tech, Inc. May 2007. Water Quality Impacts of the Savannah Harbor Expansion Project: Detailed Evaluation of Mitigation Plans 1 – 5. Prepared for the US Army Corps of Engineers, Savannah District. 848 pp.

Tetra Tech, Inc. April 24, 2008. Final Report Design of Dissolved Oxygen Improvement Systems in Savannah Harbor. Prepared for the US Army Corps of Engineers, Savannah District. 134 pp.

University of Georgia Cooperative Extension Service. 1992. Georgia's Endangered Plants and Animals. Publication B-1071, March 1992. 32 pages.

US Army Corps of Engineers, Engineering Research and Development Center. September 2004. Navigation Study for Savannah Harbor Channel Improvements. 218pp.

US Army Corps of Engineers, Engineering Research and Development Center. August 2006. Ship Forces on the Shoreline of the Savannah Harbor Project. 71 pp.

US Army Corps of Engineers, Wilmington District. November 2, 2006. Savannah Harbor Expansion Bank Erosion Study. 36 pp.

US Army Corps of Engineers, Engineering Research and Development Center. April 2008. Impact of Savannah Harbor Deep Draft Navigation Project on Tybee Island Shelf and Shoreline. ERDC/CHL TR-08-5. 190 pp.

US Army Corps of Engineers, Mobile/Savannah Planning Center, Coastal Environment Team. April 2008. Final Sediment Quality Evaluation, Savannah Harbor Expansion Project. 80 pp.

US Army Corps of Engineers District, Savannah. 1975. "Final Environmental Statement, Operation and Maintenance, Savannah Harbor, Georgia," Savannah, Georgia, 47 pages.

US Army Corps of Engineers District, Savannah. 1981. "Savannah Harbor Georgia Comprehensive Study, Stage I Report," Savannah, Ga., 44 pages + app.

US Army Corps of Engineers District, Savannah. 1982. "Savannah Harbor Investigation Results From the Tide Gate Operation Study," Savannah, Ga., 51 pages + app.

US Army Corps of Engineers District, Savannah. 1984. Unpublished Salinity Data from 1983 Monitoring.

US Army Corps of Engineers, Savannah District. July 1991. Savannah Harbor Deepening Feasibility Report.

US Army Corps of Engineers, Savannah District. September 1991. Environmental Improvement (Section 1135) Study.

REFERENCES (continued)

US Army Corps of Engineers, Savannah District. August 1996. Long Term Management Strategy (LTMS).

US Army Corps of Engineers, Savannah District. 1996. Lower Savannah River Basin Environmental Restoration Study.

US Army Corps of Engineers, Savannah District. Tier I Draft (May 1998) and Final (September 1998) Environmental Impact Statements, Savannah Harbor Expansion Feasibility Study Report (includes main report and appendixes A, B, and C), Completed by the Georgia Ports Authority and adopted by the Chief of Engineers.

US Army Corps of Engineers, Savannah District. 2002. GRR Dredged Material Physical Analysis Report.

US Army Corps of Engineers, Savannah District. 2003. Dredged Material Management Plan (DMMP) Update.

US Army Corps of Engineers, Savannah District. 2004. EA/FONSI for the Savannah Harbor Navigation Project, Disposal Areas 13A and 13B, Bank Erosion Protection.

US Army Corps of Engineers, Savannah District. March 2004 (Revised April 2005). Savannah Harbor Expansion Project, Formulation of Alternatives. General Re-evaluation Report and Environmental Impact Statement.

US Army Corps of Engineers, Savannah District. 2006. EA/FONSI for the Savannah Harbor Federal Navigation Channel, Chatham County, Georgia.

US Army Corps of Engineers, Savannah District. August 2006. Drought Contingency Plan Update, Savannah River Basin.

US Army Corps of Engineers, Savannah District. June 2007. Supplemental Studies to Determine Potential Ground-Water Impacts to the Upper Florida Aquifer, Savannah Harbor Expansion Project, Final Report.

US Army Corps of Engineers, Savannah District. November 2008. Drought Contingency Plan Temporary Deviation, Savannah River Basin.

US Army Corps of Engineers, Engineer Research and Development Center. August 2009. Analyses of Savannah Harbor Water Quality Compliance Monitoring Data. Dredging Operations Technical Support Program, Vicksburg, MS

US Army Corps of Engineers, Engineering Research and Development Center. June 2011. Addendum to Analyses of Savannah Harbor Water Quality Compliance Monitoring Data. Dredging Operations Technical Support Program, Vicksburg, MS

REFERENCES (continued)

US Environmental Protection Agency. 1983. "Final Environmental Impact Statement (EIS) for Savannah, GA, Charleston, SC and Wilmington, NC, Ocean Dredged Material Disposal Sites Designation," Washington, D.C.

US Environmental Protection Agency, 1992. Evaluation of the Region 4 Coastal Sediment Quality Inventory. Prepared by Science Applications International Corporation for EPA, 3 December 1992.

US Environmental Protection Agency, Region III. 2003. Biological Evaluation for the Issuance of Ambient Water Quality Criteria for Dissolved Oxygen, Water Clarity, and Chlorophyll a for the Chesapeake Bay and its Tidal Tributaries. Chesapeake Bay Program Office. 56 pp.

US Fish and Wildlife Service. 1978. Ducks at a distance. Author: Bob Hines, Department of the Interior, USFWS. Washington, DC. US Government Printing Office, Stock No. 024-010-00442-8.

US Fish and Wildlife Service. 1982. "Planning Aid Report to Savannah Harbor Comprehensive Study," Brunswick, Ga.

US Fish and Wildlife Service. 1983. "Planning Aid Report to the Savannah Harbor Comprehensive Study," Brunswick, Ga.

US Fish and Wildlife Service. 1985. Determination of Endangered and Threatened Status for the Piping Plover. Federal Register, Vol. 50, No. 238. Wednesday, December 11, 1985, pp. 50726-50734.

US Fish and Wildlife Service. 1986. "Draft Fish and Wildlife Coordination Act Report on Savannah Harbor Comprehensive Study," Brunswick, Ga. 71 pages + app.

US Fish and Wildlife Service. 1993. Biological Opinion issued on 27 August, 1993, for the Tybee Island Beach Erosion Control Project.

US Fish and Wildlife Service. 2003. Tidal Wetlands Study for the Savannah National Wildlife Refuge.

US Fish and Wildlife Service. 2008. "Draft Fish and Wildlife Coordination Act Report on Savannah Harbor Expansion Project," 69 pages + app.

US Fish and Wildlife Service. 2011. "Final Fish and Wildlife Coordination Act Report on Savannah Harbor Expansion Project," 55 pages + app.

US Geological Survey. 1960. Surface water supply of the United States. Part 2-A. Geol. Surv., Water Supply Paper 1703.

REFERENCES (continued)

US Geological Survey and US Fish and Wildlife Service. March 2008. Marsh Succession Model (MSM), Geographical Information System Tool for Predicting Freshwater and Oligohaline Tidal Marsh Vegetation Communities along the Savannah River. 128 pp.

US Geological Survey Florida Cooperative Fish and Wildlife Research Unit and US Fish and Wildlife Service. March 2003. Tidal Wetland Studies and Tidal Wetland Utilization Studies, Savannah National Wildlife Refuge, Hardeeville, SC. Final Report

US National Marine Fisheries Service. 1984. Synopsis of Biological Data on shortnose sturgeon, *Acipenser brevirostrum* LeSueur 1818. NOAA Technical Report NMFS 14. October 1984.

US National Marine Fisheries Service. 1991. Recovery Plan for the Northern Right Whale (*Eubalaena glacialis*). Prepared by the Right Whale Recovery Team for the National Marine Fisheries Service, Silver Springs, Maryland. 86 pp.

US National Marine Fisheries Service (NMFS), 1994. "Ecological Assessment of Effluent and Sediments from the Savannah Harbor Dredged Material Disposal Areas in the Wright River Estuary of South Carolina." Prepared for the U.S. Army Corps of Engineers, Savannah District, July 1994. Authors: Dr. Geoffrey I. Scott, Dr. Michael H. Fulton, Peter B. Key, James W. Daugomah, Edward F. Wirth, Shawn Layman, Brian C. Thompson, Erich D. Strozier, and Paul L. Pennington, NMFS, Southeast Fisheries Science Center, Charleston Laboratory, and Dr. Robert F. Van Dolah, Philip P. Maier, Martin Levisen, and Nancy Hadley, SC Wildlife and Marine Resource Department, Marine Resources Institute, Fort Johnson, Charleston, SC.

US National Marine Fisheries Service. 1995. Biological Opinion issued on August 25, 1995, for hopper dredging of channels and beach nourishment activities in the Southeastern United States from North Carolina through Florida East Coast.

Van Den Avyle, M.J., M.A. Maynard, R.C. Klinger, and V.S. Blazer. 1990. "Effects of Savannah Harbor Development on Fishery Resources Associated With the Savannah National Wildlife Refuge", Georgia Cooperative Fish and Wildlife Research Unit, Athens, Ga.

Van Den Avyle, M.J. and M.A. Maynard. 1994. Effects of saltwater intrusion and flow diversion on reproductive success of striped bass in the Savannah River estuary. Transactions of the American Fisheries Society. 123:886-903.

Van Dolah, R.F., P.H. Wendt, R.M. Martore, M.V. Levisen, W.A. Roumillat. 1992. A physical and biological monitoring study of the Hilton Head beach nourishment project. Marine Resources Research Institute, South Carolina Marine Resources Division, Charleston, S.C. 159 pp.

REFERENCES (continued)

- Van Dolah, R.F., R.M. Martore, M.V. Levisen. 1993. Physical and biological monitoring study of the Hilton Head beach nourishment project. Supplemental report submitted to the Town of Hilton Head Island by the South Carolina Marine Resources Research Institute, South Carolina Marine Resources Division, Charleston, South Carolina. 10 pp.
- Van Dolah, R.F., R.M. Martore, A.E. Lynch, P.H. Wendt, M.V. Levison, D.J. Whitaker, and W.D. Anderson. 1994. Final Report. Environmental evaluation of the Folly Beach nourishment project. South Carolina Department of Natural Resources, Marine Resources Division, Charleston SC. Prepared for the United States Army Corps of Engineers, Charleston District, Charleston, SC. 82 pp.
- Van Engel, W. A. 1958. The blue crab and its fishery in Chesapeake Bay. *Commer. Fish. Rev.* 20 (6):6-17.
- Wallace, D. H. 1966. Oysters in the estuarine environment. In R. E. Smith, A. H. Swartz, W. H. Massman. eds. Symposium on estuarine fisheries. Am Fish. Soc. Spec. Publ. No. 3.
- Wallin, J. M., J. Van Den Avyle, and T. Sinclair. 1995. Juvenile striped bass nursery habitat and abundance index in the lower Savannah River. Final report. Georgia Department of Natural Resources, Atlanta, GA. 105 pp.
- Waring G.T., D.L. Palka, P.J. Clapham, S. Swartz, M.C. Rossman, T.V.N. Cole, L.J. Hansen, K.D. Bisack, K.D. Mullin, R.S. Wells, D.K. Odell, and N.B. Barros. 1999. U.S. Atlantic and Gulf of Mexico Marine Mammal Stock Assessments (1999). *NOAA Technical Memorandum NMFS-NE-153*. U.S. Dept. of Commerce, Woods Hole, Massachusetts.
- Waterways Experiment Station (CEWES), 1994. Assessment of sea turtle abundance in six south Atlantic U.S. channels. Draft sea turtle research project data summary report by Dena D. Dickerson, Kevin J. Reine, David A. Nelson, and Charles E. Dickerson, Environmental Laboratory, Waterways Experiment Station, Corps of Engineers, Vicksburg, MS, April 1994. Prepared for US Army Engineer Division, South Atlantic, and US Naval Submarine Base, Kings Bay, GA.
- Weber, W. 1996. Population size and habitat use of shortnose sturgeon, *Acipenser brevirostrum*, in the Ogeechee River System, Georgia. Masters Thesis, University of Georgia, Athens, Georgia.
- Weis, Peddrick, Judith S. Weis and Theodore Proctor. 1993. Copper, Chromium, and Arsenic in Estuarine Sediments Adjacent to Wood treated with Chromated-Copper-Arsenate (CCA). *Estuarine, Coastal and Shelf Science* (1993) 36:71-79.
- Welch, Z. C. and W. M. Kitchens. 2006. Predicting freshwater and oligohaline tidal marsh vegetation communities, Florida Cooperative Fish and Wildlife Research Unit, University of Florida, Report Submitted to U.S. Army Corps of Engineers, Solicitation: W91278-06-T-0012, at <http://sav-harbor.com/>.

REFERENCES (continued)

Wilbur, S. R. 1974. The Literature of the California least tern. U.S. Dept. of the Interior, Bureau of Sport Fisheries and Wildlife, Special Scientific Report. U.S. Fish and Wildlife Service, Washington, D.C.

Will, T.A. and C. A. Jennings. 2001. Assessment of spawning sites and reproductive status of striped bass, *Morone saxatilis*, in the Savannah River Estuary. Final Report for Project 10-21-RR251-144. 1 January 2000 – 31 January 2001. Prepared for the Georgia Ports Authority, P.O. Box 2406, Savannah, GA 31402.

Windom, Herbert L., Steven J. Schropp, Fred D. Calder, Joseph D. Ryan, Ralph G. Smith, Jr., Louis C. Burney, Frank G. Lewis, and Charles H. Rawlinson, 1989. Natural trace metal concentrations in estuarine and coastal marine sediments of the southeastern United States. *Environ. Sci. & Tech.*, 23:314-320.

Winger, Parley V., and Peter J. Lasier. 1990. " Effects of Salinity on Striped Bass Eggs and Larvae", U.S. Fish and Wildlife Service, National Fisheries Contaminant Research Center, Athens, Ga.

Winger, P.V., and P.J. Lasier. 1994. Effects of salinity on striped bass eggs and larvae from the Savannah River, Georgia. *Trans. Am. Fish. Soc.* 123 (6): 904-912.

Winger, Parley V., and Peter J. Lasier. 1994. Sediment Toxicity in Savannah Harbor. Final Report to Georgia Department of Natural Resources, Coastal Resources Division. April 1994. U.S. Fish and Wildlife Service, National Fisheries Contaminant Research Center, U. of Georgia, School of Forest Resources, Athens

Wirgin, I.; Grunwald, C.; Carlson, E.; Stabile, J.; Waldman, J. 2003. Range-Wide Population Structure of Shortnose Sturgeon (*Acipenser brevirostrum*) Using Mitochondrial DNA Control Region Sequence Analysis (In press).

Wrona, A., Wear, D., Ward, J., Sharitz, R., Rosenzweig, J., Richardson, J.P., Peterson, D., Leach, S., Lee, L., Jackson, C.R., Gordon, J., Freeman, Flite, O., Eidson, G., Davis, M., and Batzer, D. 2007. Restoring Ecological Flows to the Lower Savannah River: A Collaborative Scientific Approach to Adaptive Management.