

Hole No. **SH-403**

DRILLING LOG		DIVISION SOUTH ATLANTIC	INSTALLATION SAVANNAH, GA.		SHEET 1 OF 1 SHEETS
1. PROJECT SAVANNAH HARBOR DEEPENING FEASIBILITY STUDY			10. SIZE AND TYPE OF BIT 1 3/8" I.D. SPLITSPOON 5/2"		
2. LOCATION (Coordinates or Station) LAT: 31°56'31.6649" LON: 80°40'8.9228"			11. DATUM FOR ELEVATION SHOWN (TBM or MSL) FISH TAIL MLW		
3. DRILLING AGENCY SAVANNAH DISTRICT			12. MANUFACTURER'S DESIGNATION OF DRILL FALLING 314		
4. HOLE NO. (As shown on drawing title and file number) SH-403			13. TOTAL NO. OF OVER-BURDEN SAMPLES TAKEN DISTURBED 7 UNDISTURBED 0		
5. NAME OF DRILLER C. ROBBINS			14. TOTAL NUMBER CORE BOXES 0		
6. DIRECTION OF HOLE ☒ VERTICAL ☐ INCLINED _____ DEG. FROM VERT.			15. ELEVATION GROUND WATER N/A		
7. THICKNESS OF OVERBURDEN 60.1' (INCL 49.6' WATER)			16. DATE HOLE STARTED 14 Oct 97 COMPLETED 14 Oct 97		
8. DEPTH DRILLED INTO ROCK 0.0			17. ELEVATION TOP OF HOLE 0.0' MLW		
9. TOTAL DEPTH OF HOLE 60.1'			18. TOTAL CORE RECOVERY FOR BORING N/A		
			19. SIGNATURE OF INSPECTOR J. [Signature] P.E.		

ELEVATION a	DEPTH b	LEGEND c	CLASSIFICATION OF MATERIALS (Description) d	% CORE RECOVERY e	BOX OR SAMPLE NO. f	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant) g
	45		WATER			SCALE CHANGE AT 45.0'
			BOTTOM OF OCEAN 49.6'			SET 6" DIAMETER STEEL Casing TO 53.6'
-49.6'	50		(SP) BROWN MEDIUM TO COARSE POORLY GRADED SAND, TRACE OF SILT FRAGMENTS AND FINE QUARTZ GRAVEL, CALCAREOUS.			
-51.1'			51.1'	1	1	NO RECOVERY ON FIRST DRIVE - 1st DRIVE
-51.1'			GRAY, FINE TO MEDIUM GRAINED, TRACE OF SILT, NO GRAVEL.	0.9	2	49.6' TO 51.1' THEN
-51.1'			54.1'		3	CONTINUED DRIVE TO 52.6' RECOVERED
-55.6'	55		TRACE OF FINE QUARTZ GRAVEL, NO SILT, SLIGHTLY CALCAREOUS.		4	BOTH DRIVES.
-55.6'			55.6'		5	BEGAN USING 2FOOT DRILLING ROD AT 52.6'.
-58.6'			COARSE GRAINED. 58.6'	1	6	
-60.1'	60		(CL) DARK OLIVE GRAY SILTY LEAN CLAY, SOME FINE QUARTZ SAND, SLIGHTLY CALCAREOUS.		7	
			BOTTOM OF BORING 60.1'			

NOTE: Soils field classified in accordance with the Unified Soil Classification System.

BLOWS PER FOOT

Number required to drive 1 3/8" ID Splitspoon w/140lb hammer falling 30".

N: 709,576.9 E 1,120,691.0 STA -80+005.2

Hole No. SH-434

DRILLING LOG		DIVISION		INSTALLATION		SHEET	
1. PROJECT		South Atlantic		Savannah District		1 OF 1 SHEETS	
2. LOCATION (Coordinates or Station)		X - 1104039 Y - 717984		10. SIZE AND TYPE OF BIT 1 1/2" ID SPLITSPoon, 5 1/2"		11. DATUM FOR ELEVATION SHOWN (TBM or MSL) Fichtall	
3. DRILLING AGENCY		Savannah District		12. MANUFACTURER'S DESIGNATION OF DRILL		FALLING 1500	
4. HOLE NO. (As shown on drawing title and file number)		SH-434		13. TOTAL NO. OF OVER-BURDEN SAMPLES TAKEN		DISTURBED 8 UNDISTURBED 0	
5. NAME OF DRILLER		Wesley Herman		14. TOTAL NUMBER CORE BOXES		0	
6. DIRECTION OF HOLE		☒ VERTICAL ☐ INCLINED _____ DEG. FROM VERT.		15. ELEVATION GROUND WATER		N/A	
7. THICKNESS OF OVERBURDEN		62.7' (48.4' water)		16. DATE HOLE		STARTED 15 MAY 2002 COMPLETED 15 MAY 2002	
8. DEPTH DRILLED INTO ROCK		0.0'		17. ELEVATION TOP OF HOLE		0.0'	
9. TOTAL DEPTH OF HOLE		62.7'		18. TOTAL CORE RECOVERY FOR BORING		N/A %	
				19. SIGNATURE OF INSPECTOR		M. J. Helat P. G.	

ELEVATION a	DEPTH b	LEGEND c	CLASSIFICATION OF MATERIALS (Description) d	% CORE RECOVER- ERY e	BOX OR SAMPLE NO. f	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant) g
0.0'	0		WATER			NOTES: SCALE CHANGE AT 45.0'. SET 6" STEEL CASING TO BOTTOM OF CHANNEL AND MIXED FLUIDIZED DRILLING MUD.
	45					
	48.4'		BOTTOM OF CHANNEL: 48.4'		JAR	Blows
	50		(SM) DARK GRAY VERY FINE GRAINED SILTY SAND. TRACE OF SHELLS, LAMINAE OF FAT CLAY. LESS SS CLAY LAMINAE VERY FINE GRAINED SHELL FRAGMENTS GRAY FINE TO COARSE GRAINED, SHELLY. A FEW GRAVEL SIZED CLAM SHELL FRAGMENTS. LESS SILTY LOOSE SHELLY MASH		1	0
	55				2	13
	60				3	38
					4	44
					5	42
					6	11
					7	13
						17
						16
					8	21
-61.0'			(SC-SM) GREEN, FINE GRAINED SILTY CLAYEY SAND TOP OF MIOCENE: 61.0' BOTTOM OF BORING: 62.7'			
-62.7'						
			NOTE: SOILS VISUALLY FIELD CLASSIFIED IN ACCORDANCE WITH THE UNIFIED SOIL CLASSIFICATION SYSTEM.			Blows PER FOOT: NUMBER REQUIRED TO DRIVE 1 1/2" ID SPLITSPoon WITH 140 POUND HAMMER FALLING 30 INCHES.

DRILLING LOG		DIVISION	INSTALLATION	SHEET 1	
1. PROJECT		South Atlantic	Savannah Ga	OF 1 SHEETS	
2. LOCATION (Coordinates or Station)		Ga. X=1105843 Y=717416	10. SIZE AND TYPE OF BIT 1 3/8" ID Split Spoon		
3. DRILLING AGENCY		Savannah District	11. DATUM FOR ELEVATION SHOWN (TBM or MSL)	MLW	
4. HOLE NO. (As shown on drawing title and file number)		SH 435	12. MANUFACTURER'S DESIGNATION OF DRILL	Failing 1500	
5. NAME OF DRILLER		Herman	13. TOTAL NO. OF OVER-BURDEN SAMPLES TAKEN	DISTURBED	UNDISTURBED
6. DIRECTION OF HOLE		☒ VERTICAL ☐ INCLINED _____ DEG. FROM VERT.	9	0	
7. THICKNESS OF OVERBURDEN			14. TOTAL NUMBER CORE BOXES	None	
8. DEPTH DRILLED INTO ROCK			15. ELEVATION GROUND WATER	NA	
9. TOTAL DEPTH OF HOLE 61.5'			16. DATE HOLE	STARTED	COMPLETED
			16 MAY 02	16 MAY 02	
			17. ELEVATION TOP OF HOLE	0'	
			18. TOTAL CORE RECOVERY FOR BORING	None %	
			19. SIGNATURE OF INSPECTOR		

ELEVATION O a	DEPTH O b	LEGEND c	CLASSIFICATION OF MATERIALS (Description) d	% CORE RECOV- ERY e	BOX OR SAMPLE NO. f	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant) g
			change of scale 1"=5'			Set 75 feet of casing to a depth of 59.5'
	50		Start of Sampling - 51'			water
			(SP) Sand, poorly graded fine to med ftz little fines, trace shell fragments up to 4mm, HCL RxA, wet, green to gray		1	(0-1-0) 4
			(SW) Sand, well sorted fine to coarse qtz, trace fine, trace shell fragments up to 5mm, HCL RxA, moist, gray		2	(0-0-4) 24
			54'-54.7'		3	(7-10-14) 42
			(SP) Sand, poorly sorted fine to med ftz little fines, HCL RxA, Dry gray		4	(26-20-20) 27
			57'-59' trace coarse fte sand + trace shell fragments up to 6mm		5	(14-14-13) 17
			(ML) Silts, low plasticity, firm with little fine fte sand, HCL RxA, moist, green (Miocene)		6	(5-9-8) 29
					7	(5-12-17)
					8	
					9	
	60		End of Boring 61.5'			

BLOWS PER FOOT:

Number required to drive
1 3/8" ID splitspoon w/140 lb
hammer falling 30"

NOTE: SOILS VISUALLY FIELD
CLASSIFIED IN ACCORDANCE
WITH THE UNIFIED SOIL
CLASSIFICATION SYSTEM

DRILLING LOG		DIVISION South Atlantic	INSTALLATION Savannah Ga		SHEET 1 OF 1 SHEETS
1. PROJECT Savannah Harbor			10. SIZE AND TYPE OF BIT 1 3/8" ID Split Spoon		
2. LOCATION (Coordinates or Station) X=1108831 Y=715512			11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW		
3. DRILLING AGENCY Savannah District			12. MANUFACTURER'S DESIGNATION OF DRILL Falling 1500		
4. HOLE NO. (As shown on drawing title and file number) SH-436			13. TOTAL NO. OF OVER-BURDEN SAMPLES TAKEN		DISTURBED 9
					UNDISTURBED 0
5. NAME OF DRILLER Herman			14. TOTAL NUMBER CORE BOXES None		
6. DIRECTION OF HOLE ☒ VERTICAL ☐ INCLINED _____ DEG. FROM VERT.			15. ELEVATION GROUND WATER NA		
7. THICKNESS OF OVERBURDEN 12"			16. DATE HOLE		
			STARTED 20 Jun 02		COMPLETED 20 Jun 02
8. DEPTH DRILLED INTO ROCK 0"			17. ELEVATION TOP OF HOLE 0'		
9. TOTAL DEPTH OF HOLE 61.2"			18. TOTAL CORE RECOVERY FOR BORING None %		
			19. SIGNATURE OF INSPECTOR		

ELEVATION a	DEPTH b	LEGEND c	CLASSIFICATION OF MATERIALS (Description) d	% CORE RECOV- ERY e	BOX OR SAMPLE NO. f	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant) g
	45		Change of scale 1" = 5'			Set 70 feet of casing to a depth of -54.2'
	50		Start of sample 49.2'		1	25
			49.2-50.7 med. to coarse gr. few shell frags, moist, tan to green (SP)		2	(wr-10-15)
			50.7-52.2 fine to med. & few fine green		3	39
			52.2-53.7 med. to coarse gr. trace shells trace to pebbles		4	(6-9-30)
			53.7-54.2 fine to med. & tan to green		5	49
	55		55.2-56.7 trace shells		6	(7-20-29)
			Sand, fine grained quartz, with some silt, moist, green - Miocene		7	35
					8	(29-24-11)
					9	21
	60					(6-10-11)
						26
						(6-9-17)
						80
						(16-32-48)
						49
						(17-18-31)
			End of Boring at 61.2'			

BLOWS PER FOOT:

Number required to drive
1 3/8" ID splitspoon w/140 lb
hammer falling 30".

NOTE: SOILS VISUALLY FIELD
CLASSIFIED IN ACCORDANCE
WITH THE UNIFIED SOIL
CLASSIFICATION SYSTEM.

DRILLING LOG		DIVISION SOUTH ATLANTIC	Hole No. 5H437	
1. PROJECT Savannah Harbor Project		INSTALLATION Savannah GA		SHEET 1 OF 1 SHEETS
2. LOCATION (Coordinates or Station) X=1110560 Y=714976 GA		10. SIZE AND TYPE OF BIT 1 3/8" ID splitspoon		
3. DRILLING AGENCY Savannah District		11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW		
4. HOLE NO. (As shown on drawing title and file number) 5H437		12. MANUFACTURER'S DESIGNATION OF DRILL Falling 1500		
5. NAME OF DRILLER Herman		13. TOTAL NO. OF OVER-BURDEN SAMPLES TAKEN DISTURBED 5 UNDISTURBED 0		
6. DIRECTION OF HOLE ☒ VERTICAL ☐ INCLINED _____ DEG. FROM VERT.		14. TOTAL NUMBER CORE BOXES N/A		
7. THICKNESS OF OVERBURDEN 9 ft		15. ELEVATION GROUND WATER N/A		
8. DEPTH DRILLED INTO ROCK 0 ft		16. DATE HOLE STARTED 24 June 02 COMPLETED 24 June 02		
9. TOTAL DEPTH OF HOLE 60.6 ft		17. ELEVATION TOP OF HOLE 0		
		18. TOTAL CORE RECOVERY FOR BORING None %		
		19. SIGNATURE OF INSPECTOR		

ELEVATION a	DEPTH b	LEGEND c	CLASSIFICATION OF MATERIALS (Description) d	% CORE RECOVERY e	BOX OR SAMPLE NO. f	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant) g
	50		change scale 1"=5'			Set 72" of casing to a depth - 56.4'
	55		Start of Sampling - 51.6'			water
			(SP) Sand, poorly graded fine to coarse silt trace shells, green to brown ss. 1-34.6 fine to med grains qtz trace subangular qtz argill. grey to green 54.6-56.1 no gravel, little fines trace shells		1	25 (4-11-14)
					2	43 (8-16-27)
					3	56 (42-29-27)
					X	18 (7-5-8)
	60		(SP) sand, silty, fine grained qtz, some silt, few lenses of gravel poorly graded qtz sand, med to fine, bl. when dry, fresh (micaceous) ss. 1-60.6 no lenses of SP		4	59 (13-24-35)
					5	96 (27-46-50)
			End of Boring at -60.6'			

NOTE: SOILS VISUALLY FIELD CLASSIFIED IN ACCORDANCE WITH THE UNIFIED SOIL CLASSIFICATION SYSTEM.

BLOWS PER FOOT:
Number required to drive 1 3/8" ID splitspoon w/140 hammer falling 30".

DRILLING LOG		DIVISION SOUTH ATLANTIC	INSTALLATION SAVANNAH, GA	Hole No. SH 442
1. PROJECT SAVANNAH HARBOR PROJECT		10. SIZE AND TYPE OF BIT 1 3/8" ID SPLT SPOON		
2. LOCATION (Coordinates or Station) X = 1114468 Y = 712779 GA		11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW		
3. DRILLING AGENCY SAVANNAH DISTRICT		12. MANUFACTURER'S DESIGNATION OF DRILL FALLING 1500		
4. HOLE NO. (As shown on drawing title and file number) SH 442		13. TOTAL NO. OF OVER-BURDEN SAMPLES TAKEN		DISTURBED 8
5. NAME OF DRILLER ROUNDTREE / DAN CAMP		14. TOTAL NUMBER CORE BOXES		UNDISTURBED 0
6. DIRECTION OF HOLE ☒ VERTICAL ☐ INCLINED _____ DEG. FROM VERT.		15. ELEVATION GROUND WATER NA		
7. THICKNESS OF OVERBURDEN		16. DATE HOLE STARTED 25 JUL 02 COMPLETED 25 JUL 02		
8. DEPTH DRILLED INTO ROCK 0 FT		17. ELEVATION TOP OF HOLE -47.4		
9. TOTAL DEPTH OF HOLE 60.9 FT		18. TOTAL CORE RECOVERY FOR BORING — %		
		19. SIGNATURE OF INSPECTOR Dana K. [Signature]		

ELEVATION a	DEPTH b	LEGEND c	CLASSIFICATION OF MATERIALS (Description) d	% CORE RECOV- ERY e	BOX OR SAMPLE NO. f	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant) g
						NOTE CHANGE OF SCALE AT 45'
						SET 67 FEET OF CASING TO A DEPTH OF 51.3'
						ELEV. AT BOTTOM HARBOR 474'
						BOTTOM OF HARBOR
	45		WATER			
		SP	(SP) GRAY TO GRAY F.M. SANDS W/ FINE SILT, POORLY GRADED, W/ <10% ROUNDED-SHEDDING VR FRAGS, SAND MODERATE TR. SHELL FRAGS, MOD. ACID TO ACID		1	
	50		50.0-50.4' CORRELATES DIRECTLY, W/ COR. LENSES OF BEAN CLAY SL. IN AROUND SE OF FRAGS (MOD. SAND - 1/4" SIZE)		2	
			50.4-51.9' BECOMES GRAY TO LIGHT GRAY FINE SAND, MOD. F. SAND, RKE, SHELL FRAGS ESSENTIALLY ABSENT, NO ACID IN CLAY LENSES		3	
	55		51.9-54.9' BECOMES BEAN GRAY FINE SAND TO MOD. SAND WEAK ACID RXN		4	
	60		54.9-59.4' BECOMES GRAY TO LIGHT GRAY W/ TR. SAND AND <10% ROUNDED RKE FRAGS (MOD. SILT QTR) MOD. RXN TO ACID W/ ZONES W/ TR. SILT		5	
		SM	59.4-59.9' NO RECOVERY		6	
		ML	59.9-59.9' GRAY M. SAND W/ ROUNDED SHELL FRAGS FOR ABOUT 0.2'		7	
			(SM) FROM ~56.6' GRAY GREEN SILTY F. SAND W/ FREQ. LENSES OF SILT, W/ TR. ROUNDED RKE FRAGS 1-2 mm DIAM, CEMENTED (STRONG ACID RXN) (MIOCENE)		8	
			(ML) 57.9-58.4' DL. GREEN GRAY F. SANDY SILT W/ TR. RKE FRAGS (ROUNDED UP TO ~1/8" DIAM) WEAK ACID RXN TO DC. MODERATE ACID RXN, TR. SHELL FRAGS (MIOCENE)			
			59.4-60.9' AS ABOVE W/ ZONES W/ TR. CLAY AND STRIPERS OF F. SAND, MOD. ACID RXN.			
			BORING TERMINATED AT A DEPTH OF			
						END OF BORING
						BLOWS PER FOOT: Number required to drive 1 3/8" ID splitspoon hammer falling 30".
						NOTE: Soils field classified in accordance with the US Soils Classification Sys.

DRILLING LOG		DIVISION SOUTH ATLANTIC	INSTALLATION SAVANNAH, GA		Hole No. 4443
1. PROJECT SAVANNAH HARBOR PROJECT			10. SIZE AND TYPE OF BIT 1 3/8" ID SPLITSPOON		
2. LOCATION (Coordinates or Station) X=1118539 Y=710873 GA			11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW		
3. DRILLING AGENCY SAVANNAH DISTRICT			12. MANUFACTURER'S DESIGNATION OF DRILL FALLING 1500		
4. HOLE NO. (As shown on drawing title and file number) 5H443			13. TOTAL NO. OF OVER-BURDEN SAMPLES TAKEN 8		UNDISTURBED
5. NAME OF DRILLER WIDIN CAMP			14. TOTAL NUMBER CORE BOXES 8		
6. DIRECTION OF HOLE ☒ VERTICAL ☐ INCLINED _____ DEG. FROM VERT.			15. ELEVATION GROUND WATER NIA		
7. THICKNESS OF OVERBURDEN 7.5'			16. DATE HOLE 26 JUL 02		COMPLETED 26 JUL 02
8. DEPTH DRILLED INTO ROCK 0			17. ELEVATION TOP OF HOLE -47.3'		
9. TOTAL DEPTH OF HOLE 60.8'			18. TOTAL CORE RECOVERY FOR BORING - %		
			19. SIGNATURE OF INSPECTOR <i>[Signature]</i>		

ELEVATION a	DEPTH b	LEGEND c	CLASSIFICATION OF MATERIALS (Description) d	% CORE RECOVERY e	BOX OR SAMPLE NO. f	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant) g
	45					NOTE CHANGE OF SCALE AT 45'
	50					SET 74 FEET OF CASING TO A DEPTH OF 56.4'
	55					BOTTOM HARBOR -47.3' ELEV.
	60					NO RECOVERY
			WATER			
			NO RECOVERY			
			(SP) OLIVE GRAY MED SAND, POORLY GRADED, WITH F SAND, WITH LINES OF SILT 1/2" THICK (~2 PER FOOT), ALL OCCAS SEAMS OF C. SAND - BK FRAGS. W/ TR SHELL FRAGS (1-2MM DIAM) AND BK FRAGS UP TO 3MM DIAM, STRONG ACID RXN			
			(CL) DK GRAY F SANDY CLAY, TR TO LITTLE M-C SAND, USAR AND MCVARY SOFT			
			S18-S23, DEC F. SAND, W/ OCCAS. LAYERS OF MED-C SAND			
			S23-S48, LAYERS OF MED-C SAND ABOUT			
			(ML) S48-S63, DK BRN F. SANDY SILT, W/ ZONES OF SILTY F SAND, TR. SHELL FRAGS & SUBDOMINANT BLK PY FRAGS (MOD. ACID RXN) (MIOCENE)			
			S63-S78, AS ABOVE FINELY LAMINATED			
			S78-S93, GREENISH BRN SILT WITH MINOR OR LENSES OF CL. SILTY F SAND			
			S93-60.8, DK GREEN TO BLACK F. SANDY SILT, SL. LAMINATED			
			BORING TERMINATED AT A DEPTH OF 60.8' BELOW MHW ON 26 JUL 02			
						END OF BORING
						BLOWS PER FOOT:
						Number required to drive 1 3/8" ID splitspoon w/ 140 lb hammer falling 30".
						NOTE: Soils field classification in accordance with the Unified Soil Classification System

APPENDIX B

SAVANNAH HARBOR

LABORATORY DATA

EN-GS

TRANSMITTAL OF SAD LABORATORY REPORT(S)

TO: Savannah District
ATTN: CESAS-ENGsFROM: Director (CESAD-EN-FL)
South Atlantic Division Laboratory
Corps of Engineers, US Army
P. O. Box 51
Marietta, Georgia 30061

PROJECT: Savannah Harbor Widening

Requisition No.
SAS-EN-GS-87-23

SUBJECT: Test Reports

Work Order No.
5193


1. The test results shown on the enclosed General Test Report (SAD Form 158), are for those samples from the various holes where tests were requested for moisture content only. All other test results on samples that were tested for sieve analysis, Atterberg Limits, specific gravity, and visual classification are reported on ENG Form 2087 (gradation curves).

2. This completes all testing requested on Requisition No. SAS-EN-GS-87-23, which we are closing out. If you have questions, please contact Elton Shinn at 404/421-5299.

Encls


Submitted By:
ROBERT J. STEPHENSON, P.E.
Director, SAD Laboratory

Signature



Date

9 June 1987





Sample No.	4	Field No. Depth	45.0-46.5'	Classification	POORLY GRADED SILTY CLAYEY SAND (SP-SM-SC)	Nat w %	8.8	LL	34	PL	18	PI	16
					TANNISH GRAY WITH A LITTLE GRAVEL								
GRADATION CURVES													
Project SAVANNAH HARBOR, GA. HARBOR WIDENING													
Area LAB NO. 97/388													
Boring No. SH-69 SAMPLE NO. 4													
Date 02/15/83													

DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060

W.O. No. 3504

Req. No. EN-GS-83-54





Sample No.	ELEVATION Depth	Classification	Nat w %	LL	PL	PI
2	31.1-34.1'	CLAYEY SAND (SC)	33.6	36	17	19
		BROWNISH GRAY WITH A TRACE OF				
		PEA SIZE GRAVEL, WOOD AND MICA				


Project	SAVANNAH HARBOR, GA.
	HARBOR WIDENING
Area	LAB NO. 97/398
Boring No.	SH-72A SAMPLE NO. 2
Date	02/15/83

GRADATION CURVES						
------------------	--	--	--	--	--	--

DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060


W.O. No. 3504

Req. No. EN-GS-83-54



W.O. No. 3504
Req. No. EN-GS-83-54


DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060




DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060

W.O. No. 3504

Req. No. EN-GS-83-54







DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060

W.O. No. 3504

Req. No. EN-GS-83-54




DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060



DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA 30060

W.O. No 3504


Req No. EN-GS-83-54



W.O. No. 3504

DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060


Req. No. EN-GS-83-54



DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060


W.O. No. 3504

Req. No. EN-GS-83-54



DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060


W.U. NO. 3304
Req. No. EN-GS-83-54



DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060


W.O. No. 3504

Req. No. EN-GS-83-54



DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060

Req. No. E.N-GS-83--54




COBBLES		GRAVEL		SAND		SILT OR CLAY	
	COARSE	FINE	COARSE	MEDIUM	FINE		
Sample No.	VISUAL Classification		Nat w %	LL	PL	PI	Project
4	POORLY GRADED SAND (SP) GRAY WITH A TRACE OF SHELL AND MICA		19.4	NP	NP	NP	SAVANNAH HARBOR, GA. HARBOR WIDENING LAB NO. 97/443
							Boring No. SH-80 SAMPLE NO. 4
							Date 02/15/83
GRADATION CURVES							

ENG FORM 2087
1 MAY 63

DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060

W.O. No. 3504

Req. No. EN-GS-83-54



GENERAL TEST REPORT U.S. ARMY ENGINEER DIVISION LABORATORY, SOUTH ATLANTIC CORPS OF ENGINEERS MARIETTA, GEORGIA		DISTRICT/OFFICE Savannah	
PROJECT Savannah Harbor Widening		CONTRACT NO. --	
		DATE REPORTED 22 November 1983	
		WORK ORDER NO. 3778	
TYPE SAMPLE Jar Samples of Disturbed Soils		RECON. NO. EN-GS-84-03	
SOURCE Hole No.: SH-82 thru SH-101		BASE UNIT COST --	
FOR USE AS Investigation		DATE SAMPLE RECEIVED 19 Sept - 17 Nov 1983	
TESTED FOR Lab Classification and Field Moisture		LAB NO. 97/449----598	

☒
MEETS SPECIFICATIONS

N/A

☐
FAILS SPECIFICATIONS (See below)

Lab No.	Hole No.	Sample No.	Depth (ft.)	Moisture Content (%)
97/				
451	SH-82	4	34.8-36.3	11.8*
452	SH-82	5	37.8-39.3	8.2
458	SH-83	2	20.3-21.8	39.0*
460	SH-83	4	26.3-27.8	24.2*
463	SH-83	7	39.8-41.3	69.9*
464	SH-83	8	44.3-45.8	72.9
466	SH-84	2	29.0-30.5	18.0*
467	SH-84	3	30.5-32.0	17.9*
470	SH-84	6	38.0-39.5	56.2
471	SH-84	7	39.5-41.0	52.0*
472	SH-84	8	41.0-42.5	50.5
474	SH-84	10	47.1-48.6	74.2*
477	SH-85	2	23.0-24.5	18.6*
481	SH-85	6	32.0-33.5	25.7*
482	SH-85	7	39.5-41.0	51.7*
484	SH-85	9	44.0-45.5	44.3
485	SH-85	10	45.5-47.0	63.6*
487	SH-85	12	48.5-50.0	69.8
492	SH-86	5	43.5-45.0	21.7*

REMARKS

 *See lab classification data on ENG Form 2087.


REPORTED BY _____	☐ PHONE ☐ WIRE	TESTED BY JK, HDS	CHECKED BY ES
DATE _____		SAMPLED BY District	

GENERAL TEST REPORT (Continued)

(SOILS)PROJECT Savannah Habror WideningLAB NO. 97/449---598WORK ORDER NO. 3778DATE 22 Nov 1983REQ. NO. EN-GS-84-03

<u>Lab No.</u>	<u>Hole No.</u>	<u>Sample No.</u>	<u>Depth (ft)</u>	<u>Moisture Content (%)</u>
97/				
497	SH-87	3	25.0-26.5	22.6*
503	SH-87	9	48.5-50.0	40.7*
509	SH-88	6	45.7-47.2	98.4*
510	SH-88	7	48.7-50.2	47.9
511	SH-89	1	34.1-36.5	147.8*
513	SH-89	3	38.5-40.0	37.8*
515	SH-89	5	44.5-46.0	78.2*
516	SH-89	6	49.0-50.5	83.9
517	SH-90	1	40.7-40.9	158.5
518	SH-90	2	40.9-42.4	46.1*
520	SH-90	4	45.5-47.0	64.9*
521	SH-90	5	48.5-50.0	46.1
522	SH-91	1	9.2-10.2	100.4
524	SH-91	3	19.0-20.5	25.5*
526	SH-91	5	29.5-31.0	62.5*
528	SH-91	7	34.0-35.5	31.3*
529	SH-91	8	38.5-40.0	42.5
531	SH-92	1	35.5-36.8	139.5*
535	SH-92	5	48.5-49.0	47.8*
536	SH-92	6	49.0-50.5	49.5
537	SH-93	1	11.1-12.6	149.4
538	SH-93	2	13.0-14.5	133.9*
540	SH-93	4	19.6-21.1	31.8*
541	SH-93	5	21.0-22.5	54.4
542	SH-93	6	24.0-25.5	93.3*
544	SH-93	8	34.5-36.0	42.5*
549	SH-94	1	41.2-42.7	137.0*
550	SH-94	2	44.0-45.5	39.3*
551	SH-94	3	48.5-50.0	39.3
552	SH-95	1	18.1-19.6	38.5
553	SH-95	2	21.0-22.0	39.7
554	SH-95	3	27.0-28.5	40.0*
555	SH-95	4	28.5-30.0	52.8*
605	SH-95	9	45.0-46.5	30.2*


*See lab classification data on ENG Form 2087.




DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060

W.O. No. 3778

Req. No. EN-6S-84-03




Sample No.	4	TEST XX Depth	34.8-36.3'	VISUAL Classification	POORLY GRADED SAND (SP) TAN WITH A TRACE OF GRAVEL	Nat w %	11.8	LL	NP	PL	NP	PI	NP
Project SAVANNAH GA.													
Area SAVANNAH HARBOR WIDENING													
Boring No. SH-82 SAMPLE NO. 4													
Date 11/17/83													



Sample No.	8	Visual Classification	SILTY SAND (SM)	Nat w %	LL	PL	PI
Depth	46.8-47.9'	Classification	GREENISH GRAY WITH A TRACE OF GRAVEL				
GRADATION CURVES							
Project SAVANNAH G.A.							
SAVANNAH HARBOR WIDENING							
Area LAB NO. 97/455							
Boring No. SH-82 SAMPLE NO. 8							
Date 11/17/83							


CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060

Req. No. EN-GS-84-03




COBBLES		GRAVEL		SAND		SILT OR CLAY	
COARSE		FINE		COARSE		FINE	
Sample No.	TEST DEPTH	CLASSIFICATION		Nat w %	LL	PL	PI
1	17.3-18.8'	POORLY GRADED SAND (SP)			NP	NP	NP
		LT. TAN WITH A LITTLE GRAVEL					
Project SAVANNAH GA.				Area LAB NO. 97/457			
Boring No. SH-83				SAMPLE NO. 1			
Date 11/17/83							
GRADATION CURVES							


DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060



W.O. No. 3778
 Req. No. EN-GS-84-03


DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
 CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060






W.O. No. 3778
 Req. No. EN-GS-84-03

DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
 CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060




Sample No.	XXXXXX Depth 29.0-30.5'	VISUAL POORLY GRADED SAND (SP) BROWN WITH SOME GRAVEL	Nat w % 18.0	LL NP	PL NP	PI NP	Project SAVANNAH GA.
							Area LAB NO. 97/466
							Boring No. SH-84 SAMPLE NO. 2
							Date 11/17/83

GRADATION CURVES




Sample No.	3	Depth	30.5-32.0'	Visual	Classification	POORLY GRADED SAND (SP) TAN WITH A TRACE OF GRAVEL	Nat w %	LL	NP	PL	NP	PI	NP
GRADATION CURVES													
Project SAVANNAH GA.													
Savannah Harbor Widening													
Area LAB NO. 97/467													
Boring No. SH-84 SAMPLE NO. 3													
Date 11/17/83													

Req. No. EN-GS-84-03



Sample No.	XXXXX Depth	Classification	Nat w %	LL	PL	PI
7	39.5-41.0'	INORGANIC SILT, HIGH LL (MH) GREENISH GRAY, SANDY	52.0	74	35	39
Project SAVANNAH GA. Area LAB NO. 97/471 Boring No. SH-84 SAMPLE NO. 7 Date 11/17/83						
GRADATION CURVES						




COBBLES		GRAVEL		FINE SAND		MEDIUM SAND		FINE SILT OR CLAY	
		COARSE	FINE	COARSE	FINE	LL	PL	PI	
Sample No.	XXX Depth	Classification				Nat w %	LL	PL	PI
10	47.1-48.6'	FAT CLAY (CH)				74.2	113	39	74
		GREENISH GRAY WITH A LITTLE							
		SAND							
GRADATION CURVES									
Project SAVANNAH GA.									
SAVANNAH HARBOR WIDENING									
Area LAB NO. 97/474									
Boring No. SH-84 SAMPLE NO. 10									
Date 11/17/83									

DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060


W.O. No. 3778

Req. No. EN-GS-84-03





Sample No.	2	Visual	Classification	Nat w %	LL	PL	PI
Depth	23.0-24.5'	POORLY GRADED SAND (SP)		18.6	NP	NP	NP
		TAN					
GRADATION CURVES							

Project	SAVANNAH GA.
Area	SAVANNAH HARBOR WIDENING
Boring No.	SH-85
Lab No.	LAB NO. 97/477
Sample No.	2
Date	11/17/83



Req. No. EN-GS-84-03






DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060


W.O. No. 3778

Req. No. EN-GS-84-03




COBBLES		GRAVEL		SAND		FINE		SILT OR CLAY	
Sample No.	Visual Classification	Nat w %	LL	PL	PI				
2	POORLY GRADED SILTY SAND (SP-SM)		NP	NP	NP				
	GRAY								
Project SAVANNAH GA.									
Area LAB NO. 97/489									
Boring No. SH-86						SAMPLE NO. 2			
Date 11/17/83									

GRADATION CURVES




Req. No. EN-GS-84-03



GRAIN SIZE IN MILLIMETERS									
COBBLES		GRAVEL		SAND			SILT OR CLAY		
		COARSE	FINE	COARSE	MEDIUM	FINE			
Sample No.	XX/XX Depth	VISUAL	Classification	Nat w %	LL	PL	PI		
5	43.5-45.0'	POORLY GRADED SAND (SP)		21.7	NP	NP	NP	Project SAVANNAH GA.	
		TANNISH GRAY						SAVANNAH HARBOR WIDENING	
								Area LAB NO.97/492	
								Boring No. SH-86 SAMPLE NO. 5	
								Date 11/17/83	

GRADATION CURVES	





Project		SAVANNAH, GA.	
Sample No.		SAVANNAH HARBOR WIDENING	
Area		LAB NO. 97/493	
Boring No.		SH-86	
Date		11/21/83	
Sample No.		6	
Depth		46.5-48.0'	
Visual		SILTY SAND (SM) GREENISH GRAY	
Classification			
Nat w %			
LL			
PL			
PI			
COBBLES			
GRAVEL			
SAND			
FINE			
SILT OR CLAY			
GRADATION CURVES			

DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060

W.O. No. 3778

Req. No. EN-GS-84-03






DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060


W.O. No. 3778

Req. No. EN-GS-84-03



Sample No.	9	Depth	48.5-50.0'	Classification	CLAYEY SAND, HIGH LL (SC-H) GREENISH GRAY	Nat w %	40.7	LL	65	PL	26	PI	39
Project SAVANNAH, GA.													
SAVANNAH HARBOR WIDENING													
Area LAB NO. 97/503													
Boring No. SH-87 SAMPLE NO. 9													
Date 11/21/83													

GRADATION CURVES




Sample No.	Visual	Classification	Gravel	Sand	Silt or Clay	Project
2	POORLY GRADED SILTY SAND (SP-SM)	GREENISH GRAY	COARSE	FINE	SILT OR CLAY	SAVANNAH, GA.
						SAVANNAH HARBOR WIDENING
						LAB NO. 97/505
						Boring No. SH-88
						SAMPLE NO. 2
						Date 11/21/83


DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060

W.O. No. 3778

Req. No. EN-GS-84-03



Sample No.	6	Classification	CLAYEY SAND-HIGH LL (SC-H) GREENISH GRAY WITH A TRACE OF GRAVEL	Nat w %	98.4	LL	71	PL	30	PI	41
Depth	45.7-47.2										
GRADATION CURVES											
Project SAVANNAH, GA. SAVANNAH HARBOR WIDENING Area LAB NO. 97/509 Boring No. SH-88 SAMPLE NO. 6 Date 11/21/83											




Sample No.	34.1-36.5'	Classification	FAT CLAY (CH) GRAY WITH A LITTLE SAND	Nat w %	147.8	LL	147	PL	43	PI	104
Depth	34.1-36.5'										
GRADATION CURVES											
Project SAVANNAH, GA.											
Area SAVANNAH HARBOR WIDENING											
Lab No. 97/511											
Boring No. SH-89											
SAMPLE NO. 1											
Date 11/21/83											


DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060

W.O. No. 3778

Req. No. EN-GS-84-03





Sample No.	3	Proj	SAVANNAH, GA.
Depth	38.5-40.0'	Area	LAB NO. 97/513
Visual	POORLY GRADED SILTY SAND (SP-SM)	Boring No.	SH-89
Classification	TAN WITH A TRACE OF GRAVEL	Sample No.	3
GRADATION CURVES			
Date 11/21/83			



Sample No.		Depth	Classification				Project	
5		44.5-46.0'	FAT CLAY (CH)	Nat w %	LL	PL	SAVANNAH, GA.	
			GREENISH BROWN WITH A LITTLE	78.2	123	45	SAVANNAH HARBOR WIDENING	
			SAND				LAB NO. 97/515	
							Boring No. SH-89	
							SAMPLE NO. 5	
							Date	
							11/21/83	

Req. No. EN-GS-84-03






COBBLES		GRAVEL		FINE		COARSE		MEDIUM		FINE		SAND		SILT OR CLAY	
Sample No.		Depth		Classification		Nat w %		LL		PL		PI		Project	
4		45.5-47.0'		FAT CLAY (CH) GREENISH GRAY WITH SOME SAND		64.9		109		39		7.0		SAVANNAH, GA.	
														SAVANNAH HARBOR WIDENING	
														LAB NO. 97/520	
														Boring No. SH-90 SAMPLE NO. 4	
														Date 11/21/83	

GRADATION CURVES

DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060

W.O. No. 3778

Req. No. EN-GS-84-03




HYDROMETER



Project	SAVANNAH, GA.
	SAVANNAH HARBOR WIDENING
Area	LAB NO. 97/526
Boring No.	SH-91
	SAMPLE NO. 5
Date	11/21/83

ENG **FORM 2087**
1 MAY 63

DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060



Sample No.	XXXXXX Depth	Classification	Nat w %	LL	PL	PI
7	34.0-35.5'	LEAN CLAY (CL)	31.3	39	18	21
		GRAY WITH SOME SAND				

Project	SAVANNAH, GA .
	SAVANNAH HARBOR WIDENING
Area	LAB NO. 97/528
Boring No.	SH-91 SAMPLE NO. 7
Date	11/21/83


GRADATION CURVES



GRADATION CURVES

W.O. No. 3778
 Req. No. EN-GS-84-03


DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
 CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060



GRADATION CURVES

Req. No. EN-GS-84-03


DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060




COBBLES		GRAVEL		SAND			FINE		
		COARSE	FINE	COARSE	MEDIUM	FINE	PI	PL	NP
Sample No.	TEST XX Depth	VISUAL	Classification	Nat w %			LL	PL	PI
3	38.5-40.0'	POORLY GRADED SAND (SP)					NP	NP	NP
		LT TAN							
GRADATION CURVES									
Project SAVANNAH, GA. SAVANNAH HARBOR WIDENING Area LAB NO.97/533 Boring No. SH-92 SAMPLE NO. 3 Date 11/21/83									

ENG FORM 2087
1 MAY 63

DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
 CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060
 W.O. No. 3778
 Req. No. EN-GS-84-03




COBBLES 100 500		GRAVEL COARSE FINE		SAND COARSE MEDIUM FINE		SILT OR CLAY	
Sample No.	48.5-49.0'	Classification	FAT CLAY (CH) GREENISH GRAY. SANDY WITH A TRACE OF GRAVEL				
5		Nat w %	47.8	LL	103	PL	29
		PI					74
Project SAVANNAH, GA. SAVANNAH HARBOR WIDENING Area LAB NO. 97/S35 Boring No. SH-92 SAMPLE NO. 5 Date 11/21/83							
GRADATION CURVES							




W.O. No. 3778
 Req. No. EN-GS-84-03

DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
 CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060




Sample No.	DEPTH	VISUAL	Classification	Nat w %	LL	PL	PI
4	19.6-21.1'	POORLY GRADED SILTY SAND (SP-SH)		31.8	NP	NP	NP
		GRAY					
GRADATION CURVES							
Project SAVANNAH, GA.							
SAVANNAH HARBOR WIDENING							
Area LAB NO. 97/S40							
Boring No. SH-93 SAMPLE NO. 4							
Date 11/21/83							




DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060

W.O. No. 3778

Req. No. EN-GS-84-03



COBBLES		GRAVEL		SAND		SILT OR CLAY	
COARSE		FINE		COARSE		FINE	
Sample No.	XXXXX	Classification		Nat w %	LL	PL	PI
8	34.5-36.0'	SILTY SAND (SM)		42.5	37	30	7
		GRAY					
XXXXX							
XXXXX							
XXXXX							
XXXXX							
GRADATION CURVES							
Project SAVANNAH, GA.				Area LAB NO. 97/544			
Boring No. SH-93				SAMPLE NO. 8			
Date 11/21/83							



COBBLES		GRAVEL		FINE		COARSE		MEDIUM		SAND		FINE		SILT OR CLAY	
Sample No.		Visual Classification		Nat w %		LL		PL		PI		PL		PI	
10		POORLY GRADED SAND (SP)		TAN		NP		NP		NP		NP		NP	
39.0-40.5'															
Area		LAB NO. 97/546													
Boring No.		SH-93		SAMPLE NO. 10											
Date		11/21/83													

Project SAVANNAH, GA.
SAVANNAH HARBOR WIDENING

GRADATION CURVES

DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060

GRAVEL		SAND		SILT OR CLAY
COARSE	FINE	MEDIUM	FINE	
0.075	0.475	0.075	0.075	


Sample No.	TEST/XX Depth	Classification	Nat w %	LL	PL	PI
1	41.2-42.7'	FAT CLAY (CH) GRAY-SANDY	137.0	116	34	82

Project	SAVANNAH, GA.
	SAVANNAH HARBOR WIDENING
Area	LAB NO. 97/549
Boring No.	SH-94 SAMPLE NO. 1
Date	11/21/83

GRADATION CURVES

W.O. No. 3778
Req. No. EN-GS-84-03

DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060




Sample No.	2	Classification	CLAYEY SAND-HIGH LL (SC-H) GREENISH GRAY WITH A TRACE OF GRAVEL	Nat w %	39.3	LL	59	PL	27	PI	32
Depth	44.0-45.5										
GRADATION CURVES											
Project SAVANNAH, GA.											
Area SAVANNAH HARBOR WIDENING											
Boring No. SH-94 SAMPLE NO. 2											
Date 11/21/83											

DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060


W.O. No. 3778

Req. No. EN-GS-84-03



W.O. No. 3778
Req. No. EN-GS-84-03

DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060




Sample No.	4	Classification	INORGANIC SILT-HIGH LL (MH)	Nat w %	52.8	LL	57	PL	38	PI	19
Depth	28.5-30.0'	GRAY WITH SOME SAND									
GRADATION CURVES											
Project SAVANNAH, GA.											
Area SAVANNAH HARBOR WIDENING											
Boring No. SH-95											
Date 11/21/83											
LAB NO. 97/555											
SAMPLE NO. 4											

DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060

W.O. No. 3778

Req. No. EN-GS-84-03




Sample No.	9	Classification	FAT CLAY (CH)	Nat w %	30.2	LL	60	PL	29	PI	31
Depth	45.0-46.5'	Remarks	GREENISH GRAY WITH SOME SAND								
Project SAVANNAH, GA.											
Savannah Harbor Widening											
Area LAB NO. 97/605											
Boring No. SH-95 SAMPLE NO. 9											
Date 11/21/83											

DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060

U.S. STANDARD SIEVE NUMBERS

U.S. STANDARD SIEVE OPENING IN INCHES



Sample No.	FAKAK Depth	VISUAL	Classification	Nat w %	LL	PL	PI
1	33.8-35.3'	POORLY GRADED SAND (SP)			NP	NP	NP
		TAN					

Project
SAVANNAH, GA.

SAVANNAH HARBOR WIDENING

LAB NO. 97/557

Boring No. SH-96 SAMPLE NO. 1

Date 11/21/83

GRADATION CURVES


ENG **FORM 2087**
1 MAY 63

FORM
1 MAY 63

DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060

W.O. No. 3778

Req. No. EN-GS-84-Q3



Sample No.	XXXXX	Depth	49.0-50.4'	Visual	Classification	POORLY GRADED SAND (SP) TAN WITH A TRACE OF GRAVEL	Nat w %	LL	NP	PL	NP	PI	NP
GRADATION CURVES													
Project SAVANNAH, GA.													
Area SAVANNAH HARBOR WIDENING													
Boring No. SH-96 SAMPLE NO. 4													
Date 11/21/83													

GENERAL TEST REPORT (Continued)

(SOILS)PROJECT Savannah Harbor WideningLAB NO. 97/449---598WORK ORDER NO. 3778DATE 22 Nov 1983REQ. NO. EN-GS-84-03

Lab No.	Hole No.	Sample No.	Depth (ft)	Moisture Content (%)
97/				
562	SH-97	2	42.2-43.7	26.8*
563	SH-97	3	44.0-45.5	44.7*
564	SH-97	4	48.5-50.0	29.6*
566	SH-98	2	18.8-20.3	22.7*
568	SH-98	4	29.5-31.0	19.2*
574	SH-99	2	42.0-43.5	30.5
575	SH-99	3	45.0-46.5	44.6*
576	SH-99	4	49.5-51.0	90.6
580	SH-100	4	20.5-22.0	53.8*
582	SH-100	6	28.0-29.5	92.6
583	SH-100	7	34.0-35.5	120.5*
584	SH-100	8	39.5-41.0	97.4
585	SH-100	9	42.5-44.0	76.1
589	SH-101	1	15.4-16.9	72.1
591	SH-101	3	18.5-20.0	112.9*
593	SH-101	5	24.5-26.0	48.5*
594	SH-101	6	26.0-27.5	112.8
595	SH-101	7	30.9-32.4	15.9*


*See lab classification data on ENG Form 2087.

GENERAL TEST REPORT U.S. ARMY ENGINEER DIVISION LABORATORY, SOUTH ATLANTIC CORPS OF ENGINEERS MARIETTA, GEORGIA		DISTRICT/OFFICE Savannah	
PROJECT Savannah Harbor Widening		CONTRACT NO. ---	
		DATE REPORTED 10 April 1984 WORK ORDER NO. 3778	
TYPE SAMPLE Jar Samples of Disturbed Soils		REQN. NO. EN-GS-84-03 (CH. 1)	
SOURCE Hole No. SH-99A		BASE UNIT COST ---	
FOR USE AS Investigation		DATE SAMPLE RECEIVED 1 Sept - 30 Dec 1983	
TESTED FOR Lab Classification and Field Moisture		LAB NO. 97/611	
<input style="width: 30px; height: 20px; border: 1px solid black;" type="checkbox"/> MEETS SPECIFICATIONS N/A <input style="width: 30px; height: 20px; border: 1px solid black;" type="checkbox"/> FAILS SPECIFICATIONS (See below)			
<u>Lab No.</u> 97/611	<u>Hole No.</u> SH-99A	<u>Sample No.</u> 1	<u>Depth (ft)</u> 39.6-41.1
<u>Moisture Content (%)</u> 87.4			
REMARKS:			
REPORTED BY _____		TESTED BY NM, CL, JL	
DATE _____		CHECKED BY ES	
☐ PHONE ☐ WIRE		SAMPLED BY District	

DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060

W.O. No. 3778

Req. No. EN-GS-84-03




Sample No.	40.7-42.2'	Visual	Classification	Nat w %	LL	PL	PI
1		POORLY GRADED SAND (SP)		NP	NP	NP	NP
		TAN					
GRADATION CURVES							

Project	SAVANNAH, GA.
Area	SAVANNAH HARBOR WIDENING
Boring No.	SH-97
Sample No.	1
Date	11/21/83

DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060


ENG FORM 2087
1 MAY 63



DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060

W.O. No. 3778

Req. No. EN-GS-84-03



Sample No.	44.0-45.5'	Classification	Nat w %	LL	PL	PI
		CLAYEY SAND, HIGH LL (SC-H)	44.7	66	28	38
		GREENISH GRAY WITH A TRACE OF GRAVEL				


Project SAVANNAH, GA.
Area SAVANNAH HARBOR WIDENING
Boring No. SH-97 SAMPLE NO. 3
Date 11/21/83

LAB NO. 97/563

GRADATION CURVES

DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060

Req. No. EN-GS-84-03



Project SAVANNAH, GA.
SAVANNAH HARBOR WIDENING
Area LAB NO. 97/564
Boring No. SH-97 SAMPLE NO. 4
Date 11/21/83


Sample No.	TEST XX Depth	Classification	Nat w %	LL	PL	PI
4	48.5-50.0'	CLAYEY SAND-HIGH LL (SC-H) GREENISH GRAY WITH A TRACE OF GRAVEL	29.6	51	28	23

GRADATION CURVES

DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060

W.O. No. 3778

Req. No. EN-GS-84-03




W.O. No. 3778

Req. No. EN-GS-84-03

DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060

HYDROMETER




Sample No.	2	34.2-35.7'	Classification	INORGANIC SILT-HIGH LL (MH) GRAY, CLAYEY WITH SOME SAND	Nat w %	93.9	LL	84	PL	41	PI	43
Project SAVANNAH HARBOR HARBOR WIDENING LAB NO. 97/607												
Area												
Boring No. SH-97A SAMPLE NO. 2												
Date 04/02/84												

GRADATION CURVES

ENG FORM 2087
1 MAY 63

W.O. No. 3778
Req. No. EN-GS-84-03


DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060



Sample No.	5	42.8-43.5'	SILTY SAND (SM) GRAY, CLAYEY	Classification	Nat w %	LL	PL	PI	Project	SAVANNAH HARBOR HARBOR WIDENING LAB NO. 97/610
					39.3	47	33	14	Area	
									Boring No.	SH-97A
									Sample No.	5
									Date	04/02/84

GRADATION CURVES

DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060



Sample No.	XENX Depth	VISUAL	Classification	Nat w %	LL	PL	PI
2	18.8-20.3'	POORLY GRADED SAND (SP)		22.7	NP	NP	NP
		GRAY					


Project	SAVANNAH, GA.		
	SAVANNAH HARBOR WIDENING		
Ares	LAB NO.97/566		
Boring No.	SH-98	SAMPLE NO.	2
Date	11/21/83		

GRADATION CURVES

DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060


W.O. No. 3778

Req. No. EN-GS-84-03



COBBLES		GRAVEL		SAND		SILT OR CLAY	
Sample No.	XXXXX Depth	VISUAL	Classification	Nat w %	LL	PL	PI
4	29.5-31.0'	POORLY GRADED SAND (SP)	TAN	19.2	NP	NP	NP
Project		SAVANNAH, GA.					
Area		SAVANNAH HARBOR WIDENING					
Boring No.		SH-98					
Date		11/21/83					
LAB NO.		97/568					
SAMPLE NO.		4					

GRADATION CURVES




COBBLES		GRAVEL		FINE		COARSE		MEDIUM		SAND		FINE		PI	
Sample No.		Visual		Classification		Nat w %		LL		NP		PL		NP	
8		49.0-50.5'		POORLY GRADED SAND (SP)		TAN									
Area		LAB NO. 97/572													
Boring No.		SH-98		SAMPLE NO. 8											
Date		11/21/83													
Project SAVANNAH, GA.															
SAVANNAH HARBOR WIDENING															

GRADATION CURVES

DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060

W.O. No. 3778

Req. No. EN-GS-84-03



Sample No. 3		XMK Depth 45.0-46.5'		Classification FAT CLAY (CH) GRAY SANDY		Nat w % 44.6		LL 66		PL 26		PI 40	
COBBLES		GRAVEL		SAND		FINE		COARSE		MEDIUM		FINE	
SILT OR CLAY													
Project SAVANNAH, GA.													
Area SAVANNAH HARBOR WIDENING													
Boring No. SH-99													
Date 11/21/83													
SAMPLE NO. 3													

GENERAL TEST REPORT

U.S. ARMY ENGINEER DIVISION LABORATORY, SOUTH ATLANTIC
CORPS OF ENGINEERS
MARIETTA, GEORGIA

DISTRICT/OFFICE

Savannah

CONTRACT NO.

--

PROJECT

Savannah Harbor Widening

DATE REPORTED

10 April 1984

WORK ORDER NO.

3778

TYPE SAMPLE

Jar Samples of Disturbed Soils

REQN. NO.

EN-GS-84-03 (CH. 1)

BASE UNIT COST

--

SOURCE

Hole No. SH-99A

DATE SAMPLE RECEIVED

1 Sept - 30 Dec 1983

FOR USE AS

Investigation

TESTED FOR

Lab Classification and Field Moisture

LAB NO.

97/611


☐

MEETS
SPECIFICATIONS

N/A


☐

FAILS
SPECIFICATIONS (See below)

Lab No.	Hole No.	Sample No.	Depth (ft)	Moisture Content (%)
97/611	SH-99A	1	39.6-41.1	87.4

REMARKS:

REPORTED BY

☐

PHONE

☐

WIRE

DATE

TESTED BY

NM, CL, JL

CHECKED BY

ES


SAMPLED BY

District

DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA, 30060

W.O. No. 3778

Req. No. EN-GS-84-03




Sample No.	3	Field Depth	43.0-44.0'	Classification	CLAYEY SAND-HIGH LL (SC-H) GRAY	Nat w %	100.0	LL	138	PL	49	PI	89
Project SAVANNAH HARBOR HARBOR WIDENING													
Area LAB NO. 97/613													
Boring No. SH-99A SAMPLE NO. 3													
Date 04/03/84													

GRADATION CURVES

W.O. NO. 3118
Req. No. EN-GS-84-03

DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060

HYDROMETER




SILT OR CLAY

COBBLES		GRAVEL		SAND		FINE		PI	
COARSE		FINE		COARSE		MEDIUM		FINE	
Sample No.	XXXXX	Depth	15.9-17.4'	Visual Classification	POORLY GRADED SAND (SP)	Nat w %	LL	NP	NP
2									
GRADATION CURVES									
Project SAVANNAH, GA.									
SAVANNAH HARBOR WIDENING									
Area LAB NO. 97/578									
Boring No. SH-100 SAMPLE NO. 2									
Date 11/21/83									

DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060

W.O. No. 3778

Req. No. EN-GS-84-03




Sample No. 4		XKXK Depth 20.5-22.0'		Classification CLAYEY SAND-HIGH LL (SC-H) GRAY		GRAVEL		FINE		COARSE		MEDIUM		FINE		SILT OR CLAY	
				Nat w % 53.8				LL 57		PL 22		PI 35				Project SAVANNAH, GA.	
																Area LAB NO. 97/580	
																Boring No. 9H-100 SAMPLE NO. 4	
																Date 11/21/83	


GRADATION CURVES

DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060

W.O. No. 3778

Req. No. EN-GS-84-03






DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060


W.O. No. 3778

Req. No. EN-GS-84-03



Sample No.	XXXXX	Depth	44.0-45.5'	Visual Classification	POORLY GRADED SILTY SAND (SP-SM)	LL	NP	PL	NP	PI	NP
					GRAY						
Project SAVANNAH, GA.											
Area SAVANNAH HARBOR WIDENING											
Boring No. SH-100 SAMPLE NO. 10											
Date 11/21/83											

GRADATION CURVES




Project SAVANNAH, GA. SAVANNAH HARBOR WIDENING LAB NO. 97/591		Boring No. SH-101 SAMPLE NO. 3 Date 11/21/83	
Sample No. 3 18.5-20.0' FAT CLAY (CH) GRAY WITH A LITTLE SAND		Classification PI 104 PL 38 LL 142 Nat w % 112.9	
GRADATION CURVES			

DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060

W.O. No. 3778

Req. No. EN-GS-84-03




COBBLES		GRAVEL		SAND		SILT OR CLAY	
COARSE	FINE	COARSE	FINE	MEDIUM	FINE		

Sample No.	XXXXX Depth	VISUAL Classification	Nat w %	LL	PL	PI
10	44.0-45.5'	POORLY GRADED SILTY SAND (SP-SM)		NP	NP	NP
		GRAY				

Project	SAVANNAH, GA.
Area	SAVANNAH HARBOR WIDENING
Boring No.	SH-100
Sample No.	10
Date	11/21/83

GRADATION CURVES


find last saved page screw up on 2087




COBBLES		GRAVEL		SAND		SILT OR CLAY	
COARSE		FINE		COARSE		FINE	
Sample No.	18.5-20.0'	Classification	FAT CLAY (CH) GRAY WITH A LITTLE SAND	Nat w %	112.9	LL	142
				PL	38	PI	104
GRADATION CURVES							
Project SAVANNAH, GA.							
Area SAVANNAH HARBOR WIDENING							
Boring No. SH-101 SAMPLE NO. 3							
Date 11/21/83							

DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060

Req. No. EN-GS-84-03







Sample No.	Test No.	Visual	Classification	Nat w %	LL	PL	PI
4	16.5-18.0'	POORLY GRADED SAND (SP)		22.7	NP	NP	NP
		GRAY AND TAN					
Project: SAVANNAH HARBOR HARBOR-WIDENING Area: LAB NO. 97/642 Boring No. SH-104 SAMPLE NO. 4 Date: 04/06/84							
GRADATION CURVES							

Req. No EN-GS-84-03

CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA 30060



Project: SAVANNAH HARBOR		Boring No. SH-109		Sample No. 3	
HARBOR WIDENING		LAB NO. 97/687		Date 04/06/84	
Area		Date			
GRADATION CURVES					
Sample No.	42.4-43.1'	Classification	SILTY SAND-HIGH LL (SM-H)	LL	63
			GRAY CLAYEY	PL	32
				PI	31



Sample No.	TEST DEPTH	VISUAL	Classification	Nat w %	LL	PL	PI
2	36.5-38.0'	POORLY GRADED SAND (SP)		30.5	NP	NP	NP
		TAN. WITH A TRACE OF GRAVEL					


GRADATION CURVES							
------------------	--	--	--	--	--	--	--


Project	SAVANNAH HARBOR						
	HARBOR WIDENING						
Area	LAB NO. 97/690						
Boring No.	SH-110	SAMPLE NO.	2				
Date	04/06/84						

DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060


GRAIN SIZE IN MILLIMETERS	PERCENT FINER BY WEIGHT
0.075	100
0.15	100
0.3	100
0.6	100
1.2	100
2.5	100
5	100
10	100
20	100
40	100
75	100
150	100
300	100
600	100


COBBLES		GRAVEL		SAND			SILT OR CLAY	
		COARSE	FINE	COARSE	MEDIUM	FINE		
Sample No.	MAXIMUM Depth	VISUAL	Classification	Nat w %	LL	PL	PI	Project SAVANNAH HARBOR HARBOR WIDENING Area LAB NO. 97/692 Boring No. SH-110 SAMPLE NO. 4 Date 04/06/84
4	45.5-47.0'	POORLY GRADED SAND (SP)		--	NP	NP	NP	
		TAN						
GRADATION CURVES								





Req. No. EN-GS-84-03


[illegible]



DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060


W.O. No. 3778

Req. No. EN-GS-84-03




GRADATION CURVES

DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060

[illegible]

DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060

Req. No. EN-GS-84-03




Sample No.	XMKXK Depth		Classification		Nat w %		LL	PL	PI
	3	45.7-46.7'	INORGANIC SILT-HIGH LL (MH)	GRAY, CLAYEY WITH SOME SAND	128.3	131	51	80	
Project SAVANNAH HARBOR									
HARBOR WIDENING									
Area LAB NO. 97/713									
Boring No. SH-114 SAMPLE NO. 3									
Date 04/06/84									


GRADATION CURVES

DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060

ENG FORM 2087
1 MAY 63




Req. No. EN-GS-84-03



HYDROMETER

U.S. STANDARD SIEVE NUMBERS

U.S. STANDARD SIEVE OPENING IN INCHES



SILT OR CLAY

GRAIN SIZE IN MILLIMETERS

SAND

FINE

MEDIUM

COARSE

GRAVEL

COARSE

COBBLES

Project: SAVANNAH HARBOR

HARBOR WIDENING

LAS NO. 97/726

SAMPLE NO. 6

Boring No. SH-116

Date 04/06/84

PI

PL

LL

Nat w %

Classification

COARSE

GRAVEL

COBBLES

NP

NP

NP

--

POORLY GRADED SAND (SP)

POORLY GRADED SAND (SP)

TAN WITH A TRACE OF GRAVEL

26.5-28.0'

Sample No. 6

26.5-28.0'

26.5-28.0'

26.5-28.0'

26.5-28.0'


26.5-28.0'

26.5-28.0'


GRADATION CURVES

CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060


Req. No. EN-GS-84-03



Sample No.	7	Visual Classification	POORLY GRADED SAND (SP)				PI
	32.5-34.0'		ORANGE AND GRAY				
Depth	32.5-34.0'	LL	NP	PL	NP	NP	
Project: SAVANNAH HARBOR							
Harbor Widening							
Lab No. 97/727							
Boring No. SH-116 SAMPLE NO. 7							
Date 04/06/84							




DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060



Sample No.	TEST OK Depth	VISUAL	Classification	Nat w %	LL	PL	PI
2	37.9-39.4'	SILTY SAND	(SM)	14.7	NP	NP	NP
		BROWN					
Project SAVANNAH HARBOR Harbor Widening Area LAB NO. 977733 Boring No. SH-117 Sample No. 2 Date 04/06/84							
GRADATION CURVES							

W.O. No. 3778
Req. No. EN-GS-84-03

DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060




COBBLES		GRAVEL		FINE		COARSE		MEDIUM		FINE		SAND		SILT OR CLAY	
Sample No.	Depth	Visual	Classification	Nat w %	LL	PL	PI	LL	NP	PL	PI	LL	NP	PL	PI
1	15.0-16.5'	POORLY GRADED SAND (SP)		23.4	NP	NP	NP								
		TAN AND GRAY													
Project SAVANNAH HARBOR															
HARBOR WIDENING															
LAB NO. 977735															
Boring No. SH-118 SAMPLE NO. 1															
Date 04/06/84															


GRADATION CURVES

Req. No. EN-GS-84-03

DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060

[illegible]

DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060





GRADATION CURVES

DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060

W.O. No. 3778

Req. No. EN-GS-84-03





Sample No.	Field Depth	Classification	Nat w %	LL	PL	PI
8	43.5-45.0'	INORGANIC SILT-HIGH LL (MH) GRAY-CLAYEY WITH SOME SAND	43.5	81	51	30

Project	Area	Boring No.	Date
SAVANNAH HARBOR HARBOR WIDENING	LAB NO. 97/750	SH-119	04/06/84

GRADATION CURVES


COBBLES GRAVEL SAND SILT OR CLAY

COARSE FINE COARSE FINE MEDIUM FINE

GENERAL TEST REPORT U.S. ARMY ENGINEER DIVISION LABORATORY, SOUTH ATLANTIC CORPS OF ENGINEERS MARIETTA, GEORGIA				DISTRICT/OFFICE Savannah																
PROJECT Savannah Harbor Widening Study				CONTRACT NO. --																
				DATE REPORTED 21 November 1984																
TYPE SAMPLE 3 1/2" diameter cores, dense, fine grained silty sand				WORK ORDER NO. 4246																
				REQN. NO. SASEN-CG-85-14																
SOURCE Savannah Harbor				BASE UNIT COST --																
FOR USE AS Investigational				DATE SAMPLE RECEIVED 24 August 1984																
TESTED FOR Unconfined Compressive strength				LAB NO. 97/821-822																
☐ MEETS SPECIFICATIONS n/a ☐ FAILS SPECIFICATIONS (See below)																				
<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; width: 15%;">LAB NO.</th> <th style="text-align: left; width: 15%;">HOLE NO.</th> <th style="text-align: left; width: 15%;">SAMPLE NO.</th> <th style="text-align: left; width: 20%;">DEPTH, FEET</th> <th style="text-align: left; width: 35%;">UNCONFINED COMPRESSIVE STRENGTH, psi</th> </tr> </thead> <tbody> <tr> <td>97/821</td> <td>SH-120</td> <td>1</td> <td>47.7 to 48.5</td> <td>125</td> </tr> <tr> <td>97/822</td> <td>SH-120</td> <td>2</td> <td>48.9 to 50.1</td> <td>130</td> </tr> </tbody> </table>						LAB NO.	HOLE NO.	SAMPLE NO.	DEPTH, FEET	UNCONFINED COMPRESSIVE STRENGTH, psi	97/821	SH-120	1	47.7 to 48.5	125	97/822	SH-120	2	48.9 to 50.1	130
LAB NO.	HOLE NO.	SAMPLE NO.	DEPTH, FEET	UNCONFINED COMPRESSIVE STRENGTH, psi																
97/821	SH-120	1	47.7 to 48.5	125																
97/822	SH-120	2	48.9 to 50.1	130																
REMARKS: Samples were tested in a wet condition as received.																				
REPORTED BY			☐ PHONE ☐ WIRE		TESTED BY HLM															
DATE n/a			SAMPLED BY T. Zielouka		CHECKED BY DRH															

DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060

Req. No. EN-GS-84-03




ENG FORM 2087
1 MAY 63

**FORM
MAY 63**

DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060

W.O. No. 3778

Req. No. EN-GS-84-03



Sample No.	5	Box Depth	30.0-31.0'	Visual	Classification	POORLY GRADED SAND (SP) TAN WITH A LITTLE GRAVEL	Nat w %	--	LL	NP	PL	NP	PI	NP
GRADATION CURVES														
Project SAVANNAH HARBOR														
HARBOR WIDENING														
Area LAB NO. 97-756														
Boring No. SH-120 SAMPLE NO. 5														
Date 04/06/84														


Req. No. EN-GS-84-03



DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060

W.O. No. 3778

Req. No. EN-GS-84-03




Project: SAVANNAH HARBOR		Area: LAB NO. 97763	
Harbor Widening		Boring No. SH-121	
Date: 04/09/84		Sample No. 4	

Sample No.	Depth	Visual Classification	Grain Size Distribution				PI
			Coarse	Medium	Fine	NP	
4	33.5-36.0'	POORLY GRADED SAND (SP)	---	NP	NP	NP	NP
		TAN AND GRAY WITH A LITTLE GRAVEL					

GRADATION CURVES			
------------------	--	--	--


DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060




DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060

W.O. No. 3778

Req. No. EN-GS-84-03







W.O. No. 3778

FM-CC-84-03


DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
FORT MONROE, VIRGINIA 22060


Req. No. EN-GS-84-03





Req. No. EN-GS-84-03






Req. No. EN-GS-84-03



GRADATION CURVES

W.O. No. 3778
Req. No. EN-GS-84-03


DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060




DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060

W.O. No. 3778

Req. No. EN-6S-84-03






DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060

W.O. No. 3778


Req. No. EN-GS-84-03



W.O. No. 3778


Req. No. EN-GS-84-03

DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060




W.O. No. 3778
Req. No. EN-GS-84-03


DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060



W.O. No. 3778
Req. No. EN-GS-84-03

DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060





COBBLES		GRAVEL		SAND		SILT OR CLAY		
		COARSE	FINE	COARSE	MEDIUM	FINE		
Sample No.	5	10.5-12.0'	SILTY SAND (SM)	CLASSIFICATION	Nat w %	LL	PL	PI
			GRAY		32.6	NP	NP	NP
Project		SAVANNAH HARBOR						
Area		HARBOR WIDENING						
Boring No.		SH-124						
Sample No.		5						
Lab No.		97/804						
Date		04/09/84						

DEPARTMENT OF THE ARMY, SOUTH ATLANTIC DIVISION LABORATORY
CORPS OF ENGINEERS, 611 SOUTH COBB DRIVE, MARIETTA, GA. 30060

W.O. NO. 3778

Req No. EN-GS-84-03

