



**U.S. ARMY CORPS OF ENGINEERS
REGULATORY PROGRAM
APPROVED JURISDICTIONAL DETERMINATION FORM (INTERIM)
NAVIGABLE WATERS PROTECTION RULE**

I. ADMINISTRATIVE INFORMATION

Completion Date of Approved Jurisdictional Determination (AJD): 3/26/2021
 ORM Number: SAS-1997-07620
 Associated JDs: N/a
 Review Area Location¹: State/Territory: Georgia City: Brunswick County/Parish/Borough: Glynn
 Center Coordinates of Review Area: Latitude 31.2839 Longitude -81.4514

II. FINDINGS

A. Summary: Check all that apply. At least one box from the following list MUST be selected. Complete the corresponding sections/tables and summarize data sources.

- The review area is comprised entirely of dry land (i.e., there are no waters or water features, including wetlands, of any kind in the entire review area). Rationale: N/A or describe rationale.
- There are “navigable waters of the United States” within Rivers and Harbors Act jurisdiction within the review area (complete table in Section II.B).
- There are “waters of the United States” within Clean Water Act jurisdiction within the review area (complete appropriate tables in Section II.C).
- There are waters or water features excluded from Clean Water Act jurisdiction within the review area (complete table in Section II.D).

B. Rivers and Harbors Act of 1899 Section 10 (§ 10)²

§ 10 Name	§ 10 Size	§ 10 Criteria	Rationale for § 10 Determination
N/A.	N/A.	N/A.	N/A.

C. Clean Water Act Section 404

Territorial Seas and Traditional Navigable Waters ((a)(1) waters): ³			
(a)(1) Name	(a)(1) Size	(a)(1) Criteria	Rationale for (a)(1) Determination
N/A.	N/A.	N/A.	N/A.

Tributaries ((a)(2) waters):			
(a)(2) Name	(a)(2) Size	(a)(2) Criteria	Rationale for (a)(2) Determination
N/A.	N/A.	N/A.	N/A.

Lakes and ponds, and impoundments of jurisdictional waters ((a)(3) waters):			
(a)(3) Name	(a)(3) Size	(a)(3) Criteria	Rationale for (a)(3) Determination
N/A.	N/A.	N/A.	N/A.

Adjacent wetlands ((a)(4) waters):			
(a)(4) Name	(a)(4) Size	(a)(4) Criteria	Rationale for (a)(4) Determination
N/A.	N/A.	N/A.	N/A.

¹ Map(s)/figure(s) are attached to the AJD provided to the requestor.
² If the navigable water is not subject to the ebb and flow of the tide or included on the District's list of Rivers and Harbors Act Section 10 navigable waters list, do NOT use this document to make the determination. The District must continue to follow the procedure outlined in 33 CFR part 329.14 to make a Rivers and Harbors Act Section 10 navigability determination.
³ A stand-alone TNW determination is completed independently of a request for an AJD. A stand-alone TNW determination is conducted for a specific segment of river or stream or other type of waterbody, such as a lake, where upstream or downstream limits or lake borders are established. A stand-alone TNW determination should be completed following applicable guidance and should NOT be documented on the AJD Form.



**U.S. ARMY CORPS OF ENGINEERS
REGULATORY PROGRAM
APPROVED JURISDICTIONAL DETERMINATION FORM (INTERIM)
NAVIGABLE WATERS PROTECTION RULE**

D. Excluded Waters or Features

Excluded waters ((b)(1) – (b)(12)): ⁴				
Exclusion Name	Exclusion Size	Exclusion ⁵	Rationale for Exclusion Determination	
Wetland B	26.3	acre(s)	(b)(1) Non-adjacent wetland.	The wetland is not adjacent to any (a)(1)-(a)(3) waters, nor does it abut any (a)(1)-(a)(3) waters, and it is not inundated by any (a)(1)-(a)(3) waters in a typical year. It is physically separated from all (a)(1)-(a)(3) waters and does not have a direct hydrologic surface connection to any (a)(1)-(a)(3) waters in a typical year.
Wetland E	0.93	acre(s)	(b)(1) Non-adjacent wetland.	The wetland is not adjacent to any (a)(1)-(a)(3) waters, nor does it abut any (a)(1)-(a)(3) waters, and it is not inundated by any (a)(1)-(a)(3) waters in a typical year. It is physically separated from all (a)(1)-(a)(3) waters and does not have a direct hydrologic surface connection to any (a)(1)-(a)(3) waters in a typical year.
Wetland F	0.71	acre(s)	(b)(1) Non-adjacent wetland.	The wetland is not adjacent to any (a)(1)-(a)(3) waters, nor does it abut any (a)(1)-(a)(3) waters, and it is not inundated by any (a)(1)-(a)(3) waters in a typical year. It is physically separated from all (a)(1)-(a)(3) waters and does not have a direct hydrologic surface connection to any (a)(1)-(a)(3) waters in a typical year.
Wetland G	0.56	acre(s)	(b)(1) Non-adjacent wetland.	The wetland is not adjacent to any (a)(1)-(a)(3) waters, nor does it abut any (a)(1)-(a)(3) waters, and it is not inundated by any (a)(1)-(a)(3) waters in a typical year. It is physically separated from all (a)(1)-(a)(3) waters and does not have a direct hydrologic surface connection to any (a)(1)-(a)(3) waters in a typical year.
Wetland I	0.44	acre(s)	(b)(1) Non-adjacent wetland.	The wetland is not adjacent to any (a)(1)-(a)(3) waters, nor does it abut any (a)(1)-(a)(3) waters, and it is not inundated by any (a)(1)-(a)(3) waters in a typical year. It is physically separated from all (a)(1)-(a)(3) waters and does not have a direct hydrologic surface connection to any (a)(1)-(a)(3) waters in a typical year.
Wetland J	0.29	acre(s)	(b)(1) Non-adjacent wetland.	The wetland is not adjacent to any (a)(1)-(a)(3) waters, nor does it abut any (a)(1)-(a)(3) waters, and it is not inundated by any (a)(1)-(a)(3) waters in a typical year. It is physically separated from all (a)(1)-(a)(3) waters and does not have a direct hydrologic surface connection to any (a)(1)-(a)(3) waters in a typical year.

⁴ Some excluded waters, such as (b)(2) and (b)(4), may not be specifically identified on the AJD form unless a requestor specifically asks a Corps district to do so. Corps districts may, in case-by-case instances, choose to identify some or all of these waters within the review area.

⁵ Because of the broad nature of the (b)(1) exclusion and in an effort to collect data on specific types of waters that would be covered by the (b)(1) exclusion, four sub-categories of (b)(1) exclusions were administratively created for the purposes of the AJD Form. These four sub-categories are not new exclusions, but are simply administrative distinctions and remain (b)(1) exclusions as defined by the NWPR.



**U.S. ARMY CORPS OF ENGINEERS
REGULATORY PROGRAM
APPROVED JURISDICTIONAL DETERMINATION FORM (INTERIM)
NAVIGABLE WATERS PROTECTION RULE**

Excluded waters ((b)(1) – (b)(12)): ⁴				
Exclusion Name	Exclusion Size		Exclusion ⁵	Rationale for Exclusion Determination
Wetland K	0.27	acre(s)	(b)(1) Non-adjacent wetland.	The wetland is not adjacent to any (a)(1)-(a)(3) waters, nor does it abut any (a)(1)-(a)(3) waters, and it is not inundated by any (a)(1)-(a)(3) waters in a typical year. It is physically separated from all (a)(1)-(a)(3) waters and does not have a direct hydrologic surface connection to any (a)(1)-(a)(3) waters in a typical year.
Wetland M	0.19	acre(s)	(b)(1) Non-adjacent wetland.	The wetland is not adjacent to any (a)(1)-(a)(3) waters, nor does it abut any (a)(1)-(a)(3) waters, and it is not inundated by any (a)(1)-(a)(3) waters in a typical year. It is physically separated from all (a)(1)-(a)(3) waters and does not have a direct hydrologic surface connection to any (a)(1)-(a)(3) waters in a typical year.
Wetland N	0.18	acre(s)	(b)(1) Non-adjacent wetland.	The wetland is not adjacent to any (a)(1)-(a)(3) waters, nor does it abut any (a)(1)-(a)(3) waters, and it is not inundated by any (a)(1)-(a)(3) waters in a typical year. It is physically separated from all (a)(1)-(a)(3) waters and does not have a direct hydrologic surface connection to any (a)(1)-(a)(3) waters in a typical year.
Wetland O	0.14	acre(s)	(b)(1) Non-adjacent wetland.	The wetland is not adjacent to any (a)(1)-(a)(3) waters, nor does it abut any (a)(1)-(a)(3) waters, and it is not inundated by any (a)(1)-(a)(3) waters in a typical year. It is physically separated from all (a)(1)-(a)(3) waters and does not have a direct hydrologic surface connection to any (a)(1)-(a)(3) waters in a typical year.
Wetland P	0.10	acre(s)	(b)(1) Non-adjacent wetland.	The wetland is not adjacent to any (a)(1)-(a)(3) waters, nor does it abut any (a)(1)-(a)(3) waters, and it is not inundated by any (a)(1)-(a)(3) waters in a typical year. It is physically separated from all (a)(1)-(a)(3) waters and does not have a direct hydrologic surface connection to any (a)(1)-(a)(3) waters in a typical year.
Wetland Q	0.08	acre(s)	(b)(1) Non-adjacent wetland.	The wetland is not adjacent to any (a)(1)-(a)(3) waters, nor does it abut any (a)(1)-(a)(3) waters, and it is not inundated by any (a)(1)-(a)(3) waters in a typical year. It is physically separated from all (a)(1)-(a)(3) waters and does not have a direct hydrologic surface connection to any (a)(1)-(a)(3) waters in a typical year.
Wetland R	0.06	acre(s)	(b)(1) Non-adjacent wetland.	The wetland is not adjacent to any (a)(1)-(a)(3) waters, nor does it abut any (a)(1)-(a)(3) waters, and it is not inundated by any (a)(1)-(a)(3) waters in a typical year. It is physically separated from all (a)(1)-(a)(3) waters and does not have a



**U.S. ARMY CORPS OF ENGINEERS
REGULATORY PROGRAM
APPROVED JURISDICTIONAL DETERMINATION FORM (INTERIM)
NAVIGABLE WATERS PROTECTION RULE**

Excluded waters ((b)(1) – (b)(12)): ⁴				
Exclusion Name	Exclusion Size		Exclusion ⁵	Rationale for Exclusion Determination
				direct hydrologic surface connection to any (a)(1)-(a)(3) waters in a typical year.
Wetland S	0.05	acre(s)	(b)(1) Non-adjacent wetland.	The wetland is not adjacent to any (a)(1)-(a)(3) waters, nor does it abut any (a)(1)-(a)(3) waters, and it is not inundated by any (a)(1)-(a)(3) waters in a typical year. It is physically separated from all (a)(1)-(a)(3) waters and does not have a direct hydrologic surface connection to any (a)(1)-(a)(3) waters in a typical year.
Borrow Pit	2.14	acre(s)	(b)(1) Lake/pond or impoundment that does not contribute surface water flow directly or indirectly to an (a)(1) water and is not inundated by flooding from an (a)(1)-(a)(3) water in a typical year.	The borrow pit is not adjacent to any (a)(1)-(a)(3) waters, nor does it abut any (a)(1)-(a)(3) waters, and it is not inundated by any (a)(1)-(a)(3) waters in a typical year. It is physically separated from all (a)(1)-(a)(3) waters and does not have a direct hydrologic surface connection to any (a)(1)-(a)(3) waters in a typical year. It was constructed entirely in upland.

III. SUPPORTING INFORMATION

A. Select/enter all resources that were used to aid in this determination and attach data/maps to this document and/or references/citations in the administrative record, as appropriate.

Information submitted by, or on behalf of, the applicant/consultant: [AJD request submitted to Corps on 09/30/2020](#)

This information is sufficient for purposes of this AJD.

Rationale: [N/A](#)

Data sheets prepared by the Corps: [Title\(s\) and/or date\(s\)](#).

Photographs: [Other: Site photographs](#)

Corps site visit(s) conducted on: [11/17/2020](#)

Previous Jurisdictional Determinations (AJDs or PJDs): [ORM Number\(s\) and date\(s\)](#).

Antecedent Precipitation Tool: [provide detailed discussion in Section III.B.](#)

USDA NRCS Soil Survey: [Figure 3 dated September 29, 2020](#)

USFWS NWI maps: [Figure 4 dated September 29, 2020](#)

USGS topographic maps: [Figure 2 dated September 29, 2020](#)

Other data sources used to aid in this determination:

Data Source (select)	Name and/or date and other relevant information
USGS Sources	N/A.
USDA Sources	N/A.
NOAA Sources	Figure 7 dated August 24, 2020 LiDAR from 2010



**U.S. ARMY CORPS OF ENGINEERS
REGULATORY PROGRAM
APPROVED JURISDICTIONAL DETERMINATION FORM (INTERIM)
NAVIGABLE WATERS PROTECTION RULE**

Data Source (select)	Name and/or date and other relevant information
USACE Sources	N/A.
State/Local/Tribal Sources	N/A.
Other Sources	N/A.

B. Typical year assessment(s): The data forms provided by Resource Land Consultants indicate that they performed a wetland delineation of the project area on April 19, 2017. Using the Antecedent Precipitation Tool Version 1.0, which used rainfall data from area weather stations, we have determined the delineation was conducted during moderate drought (Drought Index (PDSI)) and that “normal” rainfall conditions were present for the nearest weather station on the date of the wetland delineation. With regards to the Corps site visit on 11/17/2020, the APT results indicated that the site visit was conducted during the incipient drought (Drought Index (PDSI)) and that “normal” rainfall conditions were present for the nearest weather stations on the date of the site visit.

C. Additional comments to support AJD: Wetland B is surrounded on the east, west and north by upland and a road to the south that severs a connection to Wetland A. There is no direct hydrologic surface connection between Wetland B and an (a)(1)-(3) water. Wetland B is approximately 2.0 miles from the nearest TNW, South Altamaha River.

Wetland E is a depressional landform surrounded on the east, west and south by upland and a road to the north that severs a connection to Wetland A. There is no direct hydrologic surface connection between Wetland E and an (a)(1)-(3) water. Wetland E is approximately 2.0 miles from the nearest TNW, South Altamaha River.

Wetland F is a depressional landform surrounded on all sides by upland including Harry Driggers Boulevard to the south. There is no direct hydrologic surface connection between Wetland F and an (a)(1)-(3) water. Wetland F is approximately 3.0 miles from the nearest TNW, South Altamaha River.

Wetland G is a depressional landform surrounded on all sides by upland including Harry Driggers Boulevard to the south. There is no direct hydrologic surface connection between Wetland G and an (a)(1)-(3) water. Wetland G is approximately 3.0 miles from the nearest TNW, South Altamaha River.

Wetland I is a depressional landform surrounded on all sides by upland. There is no direct hydrologic surface connection between Wetland I and an (a)(1)-(3) water. Wetland I is approximately 3.0 miles from the nearest TNW, South Altamaha River.

Wetland J is a depressional landform surrounded on all sides by upland. There is no direct hydrologic surface connection between Wetland J and an (a)(1)-(3) water. Wetland J is approximately 3.0 miles from the nearest TNW, South Altamaha River.

Wetland K is a depressional landform surrounded on all sides by upland. There is no direct hydrologic surface connection between Wetland K and an (a)(1)-(3) water. Wetland K is approximately 2.0 miles from the nearest TNW, South Altamaha River.

Wetland M is a depressional landform surrounded on all sides by upland. There is no direct hydrologic surface connection between Wetland M and an (a)(1)-(3) water. Wetland M is approximately 2.5 miles from



**U.S. ARMY CORPS OF ENGINEERS
REGULATORY PROGRAM
APPROVED JURISDICTIONAL DETERMINATION FORM (INTERIM)
NAVIGABLE WATERS PROTECTION RULE**

the nearest TNW, South Altamaha River.

Wetland N is a depressional landform surrounded on all sides by upland. There is no direct hydrologic surface connection between Wetland N and an (a)(1)-(3) water. Wetland N is approximately 2.5 miles from the nearest TNW, South Altamaha River.

Wetland O is a depressional landform surrounded on all sides by upland. There is no direct hydrologic surface connection between Wetland O and an (a)(1)-(3) water. Wetland O is approximately 3.0 miles from the nearest TNW, South Altamaha River.

Wetland P is a depressional landform surrounded on all sides by upland. There is no direct hydrologic surface connection between Wetland P and an (a)(1)-(3) water. Wetland P is approximately 2.5 miles from the nearest TNW, South Altamaha River.

Wetland Q is a depressional landform surrounded on all sides by upland. There is no direct hydrologic surface connection between Wetland Q and an (a)(1)-(3) water. Wetland Q is approximately 2.5 miles from the nearest TNW, South Altamaha River.

Wetland R is a depressional landform surrounded on all sides by upland. There is no direct hydrologic surface connection between Wetland R and an (a)(1)-(3) water. Wetland R is approximately 2.5 miles from the nearest TNW, South Altamaha River.

Wetland S is a depressional landform surrounded on all sides by upland. There is no direct hydrologic surface connection between Wetland S and an (a)(1)-(3) water. Wetland S is approximately 3.0 miles from the nearest TNW, South Altamaha River.

The upland dug borrow pit is an upland excavated feature. This feature was not constructed in an (a)(1) – (a)(3) waters.